

CONTENTS

VACUOLAR IMPORT OF PROTEINS AND ORGANELLES FROM THE CYTOPLASM, <i>Daniel J. Klionsky and Yoshinori Ohsumi</i>	1
BLUE-LIGHT PHOTORECEPTORS IN HIGHER PLANTS, <i>Winslow R. Briggs and Eva Huala</i>	33
COOPERATION BETWEEN MICROTUBULE- AND ACTIN-BASED MOTOR PROTEINS, <i>Susan S. Brown</i>	63
MOLECULAR MECHANISMS OF NEURAL CREST FORMATION, <i>Carole LaBonne and Marianne Bronner-Fraser</i>	81
LYMPHOCYTE SURVIVAL—THE STRUGGLE AGAINST DEATH, <i>Robert H. Arch and Craig B. Thompson</i>	113
THE ROAD LESS TRAVELED: EMERGING PRINCIPLES OF KINESIN MOTOR UTILIZATION, <i>Lawrence S. B. Goldstein and Alastair Valentine Philp</i>	141
PROTEINS OF THE ADF/COFILIN FAMILY: ESSENTIAL REGULATORS OF ACTIN DYNAMICS, <i>James R. Bamburg</i>	185
VISUAL TRANSDUCTION IN <i>Drosophila</i> , <i>Craig Montell</i>	231
BIOCHEMICAL PATHWAYS OF CASPASES ACTIVATION DURING APOPTOSIS, <i>Imawati Budihardjo, Holt Oliver, Michael Lutter, Xu Luo, and Xiaodong Wang</i>	269
REGULATION OF NUCLEAR LOCALIZATION: A KEY TO A DOOR, <i>Arie Kaffman and Erin K. O'Shea</i>	291
ACTIN-RELATED PROTEINS, <i>D. A. Schafer and T. A. Schroer</i>	341
CELL POLARITY IN YEAST, <i>John Chant</i>	365
VERTEBRATE ENDODERM DEVELOPMENT, <i>James M. Wells and Douglas A. Melton</i>	393
NEURAL INDUCTION, <i>Daniel C. Weinstein and Ali Hemmati-Brivanlou</i>	411
SCF AND CULLIN/RING H2-BASED UBIQUITIN LIGASES, <i>R. J. Deshaies</i>	435
INTEGRATION OF SIGNALING NETWORKS THAT REGULATE Dictyostelium DIFFERENTIATION, <i>Laurence Aubry and Richard Firtel</i>	469
WHEN TO SWITCH TO FLOWERING, <i>Gordon G. Simpson, Anthony R. Gendall, and Caroline Dean</i>	519
REGULATION OF MAMMALIAN O ₂ HOMEOSTASIS BY HYPOXIA-INDUCIBLE FACTOR 1, <i>Gregg L. Semenza</i>	551

CONTENTS

VACUOLAR IMPORT OF PROTEINS AND ORGANELLES FROM THE CYTOPLASM, <i>Daniel J. Klionsky and Yoshinori Ohsumi</i>	1
BLUE-LIGHT PHOTORECEPTORS IN HIGHER PLANTS, <i>Winslow R. Briggs and Eva Huala</i>	33
COOPERATION BETWEEN MICROTUBULE- AND ACTIN-BASED MOTOR PROTEINS, <i>Susan S. Brown</i>	63
MOLECULAR MECHANISMS OF NEURAL CREST FORMATION, <i>Carole LaBonne and Marianne Bronner-Fraser</i>	81
LYMPHOCYTE SURVIVAL—THE STRUGGLE AGAINST DEATH, <i>Robert H. Arch and Craig B. Thompson</i>	113
THE ROAD LESS TRAVELED: EMERGING PRINCIPLES OF KINESIN MOTOR UTILIZATION, <i>Lawrence S. B. Goldstein and Alastair Valentine Philp</i>	141
PROTEINS OF THE ADF/COFILIN FAMILY: ESSENTIAL REGULATORS OF ACTIN DYNAMICS, <i>James R. Bamburg</i>	185
VISUAL TRANSDUCTION IN <i>Drosophila</i> , <i>Craig Montell</i>	231
BIOCHEMICAL PATHWAYS OF CASPASES ACTIVATION DURING APOPTOSIS, <i>Imawati Budihardjo, Holt Oliver, Michael Lutter, Xu Luo, and Xiaodong Wang</i>	269
REGULATION OF NUCLEAR LOCALIZATION: A KEY TO A DOOR, <i>Arie Kaffman and Erin K. O'Shea</i>	291
ACTIN-RELATED PROTEINS, <i>D. A. Schafer and T. A. Schroer</i>	341
CELL POLARITY IN YEAST, <i>John Chant</i>	365
VERTEBRATE ENDODERM DEVELOPMENT, <i>James M. Wells and Douglas A. Melton</i>	393
NEURAL INDUCTION, <i>Daniel C. Weinstein and Ali Hemmati-Brivanlou</i>	411
SCF AND CULLIN/RING H2-BASED UBIQUITIN LIGASES, <i>R. J. Deshaies</i>	435
INTEGRATION OF SIGNALING NETWORKS THAT REGULATE Dictyostelium DIFFERENTIATION, <i>Laurence Aubry and Richard Firtel</i>	469
WHEN TO SWITCH TO FLOWERING, <i>Gordon G. Simpson, Anthony R. Gendall, and Caroline Dean</i>	519
REGULATION OF MAMMALIAN O ₂ HOMEOSTASIS BY HYPOXIA-INDUCIBLE FACTOR 1, <i>Gregg L. Semenza</i>	551

MECHANISMS OF VIRAL INTERFERENCE WITH MHC CLASS I ANTIGEN PROCESSING AND PRESENTATION, <i>Jonathan W. Yewdell and Jack R. Bennink</i>	579
TRANSPORT BETWEEN THE CELL NUCLEUS AND THE CYTOPLASM, <i>Dirk Görlich and Ulrike Kutay</i>	607
[PSI ⁺]: AN EPIGENETIC MODULATOR OF TRANSLATION TERMINATION EFFICIENCY, <i>Tricia R. Serio and Susan L. Lindquist</i>	661
ADAPTORS FOR CLATHRIN-MEDIATED TRAFFIC, <i>Tomas Kirchhausen</i>	705
SYNAPTIC VESICLE BIOGENESIS, <i>Matthew J. Hannah, Anne A. Schmidt, and Wieland B. Huttner</i>	733
THE TRANSLOCON: A DYNAMIC GATEWAY AT THE ER MEMBRANE, <i>Arthur E. Johnson and Michael A. van Waes</i>	799
INDEXES	
Subject Index	843
Cumulative Index of Contributing Authors, Volumes 11-15	883
Cumulative Index of Chapter Titles, Volumes 11-15	885

SUBJECT INDEX

A

- A20 gene
 - lymphocyte cell death and, 127
- Acanthamoeba* spp.
 - actin-microtubule cooperation and, 64
 - actin-related proteins and, 351, 354-55
 - ADF/cofilin family proteins and, 187-88, 191, 195, 204, 213
- Accessory proteins
 - ADF/cofilin family proteins and, 201-2
- ACT genes
 - actin-related proteins and, 349, 357
- Actin
 - ADF/cofilin family proteins and, 185-219
 - cell polarity in yeast and, 365-67, 382-83
 - kinesin motor utilization and, 142
 - synaptic vesicle biogenesis and, 779-80
 - visual transduction in *Drosophila* spp. and, 256
- Actin-based proteins
 - microtubule-based proteins and, 63-76
- Actin-binding proteins
 - synaptic vesicle biogenesis and, 779-80
- Actin-depolymerizing factor (ADF)/cofilin family proteins
 - actin-binding domains, 192-93
 - AIP1 accessory protein, 201-2
 - animal cells, 203-4
 - biochemistry, 189-97
 - Caenorhabditis elegans*, 210
 - compartmentalization, 199
 - competitive binding, 200
 - dephosphorylation, 203-7
 - Dictyostelium discoideum*, 211, 213-14
 - distribution, 207-16
 - Drosophila melanogaster*, 211
 - embryos, 214-15
 - evolution, 218-19
 - filament, 193
 - future research, 219
 - gene structure, 218
 - Hirano bodies, 216-17
 - history, 187-88
 - inhibition of activity, 209-13
 - intracellular function, 207-16
 - intracellular localization, 208-9
 - introduction, 186-87
 - ischemic kidney disease, 217-18
 - isoforms, 197-98
 - Lim kinases, 205-6
 - Listeria monocytogenes*, 212
 - mammalian cells, 212-13
 - mechanism of action, 193-97
 - mRNA expression, 198-99
 - muscle cells in culture, 214
 - neurodegenerative disease, 216-17
 - nomenclature, 188, 189
 - nuclear localization sequence, 190-91
 - overexpression, 213-16
 - pathologies, 216-18
 - pH regulation, 200-1
 - phosphatases, 206-7
 - phosphatidylinositol binding and hydrolysis, 202-3
 - phosphorylation, 203-7
 - phylogenetic relationships of proteins containing ADF-H domain, 218-19
 - plant cells, 203-4, 215-16
 - pointed ends, 199-200
 - posttranslational modification, 189
 - primary sequence, 189-90
 - protein expression, 198-99
 - regulatory mechanisms, 197-207
 - secondary structure, 191-92
 - signaling pathways, 204-7
 - structural relationship to other actin-binding proteins, 192
 - structure, 189-93
 - supramolecular forms of ADF/cofilin-actin, 197
 - Swiss 3T3 cells, 215
 - tertiary structure, 191-92
 - tissue distribution and amounts, 207-8
 - tropomyosins, 200
 - Williams syndrome, 217
 - Xenopus laevis*, 211-12, 214-15

- Actin-related proteins (ARPs)
 actin-nucleating activity,
 352–54
 Arp1, 344
 Arp2/3 complex, 347,
 351–56
 Arp11, 344, 346–48
 biochemistry, 348,
 351–52
 cell biology, 348–49,
 355–56
 dynactin, 344–48
 future research, 357–58
 genetics, 349–50, 356
 introduction, 342
 nucleus, 356–57
 phylogeny, 343–45
 profilin-binding activity,
 354–55
- Action spectra
 blue-light photoreceptors
 in higher plants and,
 51–52
- Activation
 blue-light photoreceptors
 in higher plants and, 33
 caspase and, 269–84
 HIF-1 and O₂ homeostasis,
 568–69
 lymphocyte cell death and,
 113–15
 signaling network for
Dictyostelium spp. and,
 469
 switching to flowering and,
 539–40
 visual transduction in
Drosophila spp. and, 231,
 237, 246–48
- Activin
 neural induction and,
 412–13
- Actophilin
 ADF/cofilin family
 proteins and, 187
- Actophorin
 ADF/cofilin family
 proteins and, 188–89,
 194–95, 204
- Adaptation
 HIF-1 and O₂ homeostasis,
 551
 visual transduction in
Drosophila spp. and,
 251–52
- Adaptors
 clathrin-mediated traffic
 and adaptor complexes,
 708–22
 AP180, 720–21
 β -arrestins, 706–8,
 718–19
 CALM, 720–21
 clathrin partners, 720–22
 coat formation, 722–23
 domain organization,
 710
 ear domain of α chain,
 710–11
 future research, 723–24
 introduction, 706
 LL motif, 716–18
 monomeric adaptors,
 706–8
 μ -chains, 712–13
 μ 2-chain, 715–16
 multimeric adaptors,
 708–18
 NPXY motif, 711–12
 regulatory inputs,
 718–20
 sorting signals, 711–18
 specificity of interaction,
 713–14
 Ypp ϕ motif, 712–16
 lymphocyte cell death and,
 120–22
 nuclear transport and, 607,
 612
 synaptic vesicle biogenesis
 and, 770–75
- ade2-1* gene
 [PSI⁺] factor and,
 664–65
- Adenosine deaminase
 deficiency
 caspase activation during
 apoptosis and, 282
- Adenosine diphosphate
 (ADP)
 actin-related proteins and,
 348
 kinesin motor utilization
 and, 154
 lymphocyte cell death and,
 125
 translocons and
 endoplasmic reticulum
 membrane, 810
- Adenosine triphosphate
 (ATP)
 actin-microtubule
 cooperation and, 65
 actin-related proteins and,
 342, 348, 357–58
 ADF/cofilin family
 proteins and, 191, 199,
 216–17
 caspase activation during
 apoptosis and, 276, 278,
 282–83
 HIF-1 and O₂ homeostasis,
 569
 kinesin motor utilization
 and, 145, 150, 161–62
 lymphocyte cell death and,
 125
 translocons and
 endoplasmic reticulum
 membrane, 810, 816, 825
- Adenylyl cyclases
 signaling network for
Dictyostelium spp. and,
 469, 495–96
- Adiantum capillus-veneris*
 blue-light photoreceptors
 in higher plants and,
 42–43, 48–49
- AG gene
 switching to flowering and,
 524, 529, 532, 538

- Aggregation
 signaling network for
 Dictyostelium spp. and,
 469–505
- A kinase-anchoring proteins
 (AKAPs)
 regulation of nuclear
 localization and, 316, 322
- AIP1 accessory protein
 ADF/cofilin family
 proteins and, 201–2
- ala3* gene
 ADF/cofilin family
 proteins and, 202
- ALDA* gene
 HIF-1 and O₂ homeostasis,
 564
- Alimentary tract
 vertebrate endoderm
 development and,
 393–405
- Allosuppressors
 [PSI⁺] factor and, 663
- Amino acids
 actin-related proteins and,
 342–43, 350
 ADF/cofilin family
 proteins and, 185,
 189–90, 192–93, 202,
 205–6
 blue-light photoreceptors
 in higher plants and, 36,
 41, 48–49
 caspase activation during
 apoptosis and, 283
 cell polarity in yeast and,
 379, 381
 kinesin motor utilization
 and, 145–46
 lymphocyte cell death and,
 123
 [PSI⁺] factor and, 666
 regulation of nuclear
 localization and, 304,
 307, 309–12, 321
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 443–44,
 446, 448, 451, 454–56
 switching to flowering and,
 530
 translocons and
 endoplasmic reticulum
 membrane, 809, 815, 821
 vacuolar import of proteins
 and organelles from
 cytoplasm, 6
 visual transduction in
 Drosophila spp. and,
 240–41, 254
- Aminopeptidase I
 vacuolar import of proteins
 and organelles from
 cytoplasm, 1, 4–7, 17, 28
- Amoebae
 signaling network for
 Dictyostelium spp. and,
 469–505
- Amphibia
 neural induction and,
 411–27
- Amphipathic helices
 caspase activation during
 apoptosis and, 280
- Amphyphysin
 synaptic vesicle biogenesis
 and, 778–79
- Amyloid proteins
 [PSI⁺] factor and, 661
- Anaphase B
 kinesin motor utilization
 and, 158–59, 164
- Ancillary regulation
 neural induction and,
 424–25
- Anemia
 HIF-1 and O₂ homeostasis,
 567
- Animal caps
 neural crest formation and,
 85
- Animal cells
 ADF/cofilin family
 proteins and, 185, 203–4
 blue-light photoreceptors
 in higher plants and,
 43–44
- Ankyrin repeats
 visual transduction in
 Drosophila spp. and,
 240–41
- Anteroposterior (A-P) axis
 signaling network for
 Dictyostelium spp. and,
 469–505
 vertebrate endoderm
 development and, 396–97
- Antibodies
 actin-related proteins and,
 349, 355
 ADF/cofilin family
 proteins and, 210
 kinesin motor utilization
 and, 148–49, 152, 154,
 158–59, 162, 169–70
 visual transduction in
 Drosophila spp. and,
 255
- Antigen presenting cells
 (APCs)
 lymphocyte cell death and,
 114
- Antigen processing
 viral interference and MHC
 class I, 579–601
- Antirrhinum* spp.
 switching to flowering and,
 524, 539
- Antisense inhibition
 kinesin motor utilization
 and, 155–56, 160
- Apaf-1 protein
 caspase activation during
 apoptosis and, 269,
 277–79, 282
- AP complexes
 clathrin-mediated traffic
 and, 705–24
- AP genes
 switching to flowering and,
 524, 529, 537–41, 543

- Apg pathway
HIF-1 and O₂ homeostasis, 568
vacuolar import of proteins and organelles from cytoplasm, 4-8, 10, 13-17, 18, 28
- ApoB protein
translocons and endoplasmic reticulum membrane, 831
- Apoptosis
caspase activation and, 269-84
lymphocyte survival and, 113-28
- Apoptosome
caspase activation during apoptosis and, 282
- Aqueous pore
translocons and endoplasmic reticulum membrane, 799-832
- Arabidopsis* spp.
ADF/cofilin family proteins and, 188
blue-light photoreceptors in higher plants and, 33, 36, 38, 40-42, 45-46, 48-50
SCF and Ring-H2/Cullin-based ubiquitin ligases, 441, 442, 449
switching to flowering and, 519-44
- β -Arrestins
adaptors for clathrin-mediated traffic and, 705-8, 718-19
- Arrestin
visual transduction in *Drosophila* spp. and, 243, 245
- arr* genes
visual transduction in *Drosophila* spp. and, 232, 237, 243-44, 254
- Asparagine
translocons and endoplasmic reticulum membrane, 821
- Aspartate
lymphocyte cell death and, 123
- Aspergillus nidulans*
kinesin motor utilization and, 164
SCF and Ring-H2/Cullin-based ubiquitin ligases, 441
- Astrocytes
kinesin motor utilization and, 154-55
- AUT genes
vacuolar import of proteins and organelles from cytoplasm, 13-17, 28
- Autoantibodies
lymphocyte cell death and, 128
- Autoimmunity
viral interference and MHC class I, 579-601
- Autonomous promotion
pathway
switching to flowering and, 529-42
- Autophagy
vacuolar import of proteins and organelles from cytoplasm, 1-28
- Avena sativa*
blue-light photoreceptors in higher plants and, 45
- AXL genes
cell polarity in yeast and, 368-70, 374-75
- Axonal transport
actin-microtubule cooperation and, 70-71, 76
ADF/cofilin family proteins and, 217
cell polarity in yeast and, 365
kinesin motor utilization and, 143, 148, 150, 154, 156, 168, 170
- Azotobacter vinelandii*
blue-light photoreceptors in higher plants and, 47
- B**
- Bacillus firmus*
blue-light photoreceptors in higher plants and, 52
- Bacteria
blue-light photoreceptors in higher plants and, 47-48, 52
kinesin motor utilization and, 152, 159
lymphocyte cell death and, 113
- Bad protein
caspase activation during apoptosis and, 281
- Barbed ends
ADF/cofilin family proteins and, 194, 197
- Barley
switching to flowering and, 544
- Barrels
visual transduction in *Drosophila* spp. and, 240-41
- Basal bodies
kinesin motor utilization and, 170
- Bax-mediated cell death
caspase activation during apoptosis and, 279, 281
- B cells
lymphocyte cell death and, 114, 117-18, 126-28
- Bcl-2 protein family
caspase activation during

- apoptosis and, 269–70, 276, 279–81
 lymphocyte cell death and, 116, 124–26
- BH3-containing protein**
 model
 caspase activation during apoptosis and, 279, 281–83
- bHLH gene**
 vertebrate endoderm development and, 402
- Bid protein**
 caspase activation during apoptosis and, 269, 279–81
- Bidirectional motor**
 kinesin motor utilization and, 153
- Biological systems**
 regulation of nuclear localization and, 292, 298, 328
- BiP protein**
 translocons and endoplasmic reticulum membrane, 799, 802, 804, 808, 812–14, 816, 821–25, 831
- BIR repeats**
 caspase activation during apoptosis and, 283
- Bladder cancer**
 neural crest formation and, 94
- Blastomeres**
 ADF/cofilin family proteins and, 214
- Blebbing**
 ADF/cofilin family proteins and, 218
- Blue-light photoreceptors**
 higher plants and action spectra, 51–52
Adiantum PHY3, 48–49
 animals, 43–44
Arabidopsis NPL1, 48–49
 circadian rhythms, 43–44
 co-action between photoreceptor systems, 50–51
 cryptochromes, 35–44, 51
 downstream events, 48
 future research, 52–53
 introduction, 34–35
 LOV domains, 46–47
 miscellaneous photosynthetic organisms, 42–43
 nomenclature, 51
 phototropin, 44–49
 phototropism pathway, 50–51
 NPH1, 44–49
 signal transduction, 48
 stomatal opening, 49–50
- BMP genes**
 neural crest formation and, 81, 83–93, 97, 99–101, 103–4
 neural induction and, 411, 423–24
 vertebrate endoderm development and, 401
- Bone morphogenetic proteins (BMPs)**
 neural induction and, 393, 395, 411, 413–27
 vertebrate endoderm development and, 401
- Bradyrhizobium japonicum***
 blue-light photoreceptors in higher plants and, 48
- Brain**
 ADF/cofilin family proteins and, 191, 208
 visual transduction in *Drosophila* spp. and, 234–35
- Brassica* spp.**
 switching to flowering and, 544
- Brefeldin A**
 kinesin motor utilization and, 154–55
- Budding**
 adaptors for clathrin-mediated traffic and, 705–24
 cell polarity in yeast and, 368–74
 SCF and Ring-H2/Cullin-based ubiquitin ligases, 436, 449, 457
 synaptic vesicle biogenesis and, 733–84
 vertebrate endoderm development and, 393, 403–5
- BUD genes**
 cell polarity in yeast and, 368–73, 376, 384
- C**
- Ca²⁺**
 lymphocyte cell death and, 122, 125
 visual transduction in *Drosophila* spp. and, 231, 238–39, 246–48, 250–54, 257, 259
- Cadherins**
 neural crest formation and, 99–101
 regulation of nuclear localization and, 323–26
- Caenorhabditis elegans***
 actin-related proteins and, 343
 ADF/cofilin family proteins and, 195, 198, 210
 caspase activation during apoptosis and, 271, 273, 278, 282
 kinesin motor utilization

- and, 151, 154, 159
- lymphocyte cell death and, 116, 123–24, 126
- SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 441, 453
- Calcineurin
 - regulation of nuclear localization and, 302–5
- CAL gene
 - switching to flowering and, 537–38, 543
- Calmodulin
 - visual transduction in *Drosophila* spp. and, 232, 238–41, 249, 251–54
- CALM protein
 - adaptors for clathrin-mediated traffic and, 720–21
- Cancer
 - caspase activation during apoptosis and, 283
 - HIF-1 and O₂ homeostasis, 566–70
 - neural crest formation and, 94
 - neural induction and, 420–21
 - vertebrate endoderm development and, 394, 401
- Candida bodinii*
 - vacuolar import of proteins and organelles from cytoplasm, 23–24
- Carboxypeptidases
 - vacuolar import of proteins and organelles from cytoplasm, 2
- Cargo attachment strategies
 - kinesin motor utilization and, 141, 147, 150–56, 167–70
- Cargo-receptor complexes
 - nuclear transport and, 607, 611–12, 618–19
 - regulation of nuclear localization and, 299–322
- Cargo proteins
 - adaptors for clathrin-mediated traffic and, 705–24
- cAR receptors
 - signaling network for *Dictyostelium* spp. and, 471–75, 486–89
- Cardiovascular development
 - HIF-1 and O₂ homeostasis, 551–71
- Cascades
 - lymphocyte cell death and, 113, 119
 - signaling network for *Dictyostelium* spp. and, 470
 - visual transduction in *Drosophila* spp. and, 231–59
- Caspases
 - activation during apoptosis and
 - Bcl-2, 279–81
 - BH3-containing protein model, 281–83
 - IAPs, 283, 284
 - introduction, 270
 - ion channel, 280–81
 - mitochondria, 276–84
 - overview, 270–73
 - permeability transition pore, 279–80
 - perspectives, 284
 - regulation, 279–84
 - surface death receptors, 271, 274–76
 - lymphocyte cell death and, 116, 123–24
- Catastrophe factors
 - kinesin motor utilization and, 149–50, 160–62
- Catenins
 - neural crest formation and, 101
 - regulation of nuclear localization and, 323–26
- SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 454
- Cation influx
 - light-dependent
 - visual transduction in *Drosophila* spp. and, 232, 237, 239, 246–50
- caudal gene
 - vertebrate endoderm development and, 401
- CCA1 gene
 - switching to flowering and, 527, 535
- CD95
 - lymphocyte cell death and, 115, 125
- Cdc4
 - SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 447–48
- Cdc34
 - SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 435, 448, 451, 455–56
- Cdc42 GTPase
 - cell polarity in yeast and, 365–80
- Cdc53
 - SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 445
- Cdc53/cullin
 - SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 449–50
- cds gene
 - visual transduction in *Drosophila* spp. and, 232, 237
- Cdx genes
 - vertebrate endoderm development and, 396, 401

- CED-4 protein
 caspase activation during
 apoptosis and, 278, 282
- Cell cycle
 ADF/cofilin family
 proteins and, 210–11
 cell polarity in yeast and,
 366, 371
 kinesin motor utilization
 and, 144, 146, 152, 158,
 160, 164–68
 regulation of nuclear
 localization and, 305–7,
 313, 328
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 449,
 451
- Cell differentiation
 Dictyostelium spp.
 integration of signaling
 networks and, 469–505
 signaling network for
 Dictyostelium spp. and,
 469–505
 vertebrate endoderm
 development and, 393,
 403–5
- Cell fate
 signaling network for
 Dictyostelium spp. and,
 469
- Cell-free systems
 synaptic vesicle biogenesis
 and, 733, 768–70
- Cell migration
 ADF/cofilin family
 proteins and, 185, 211
 neural crest formation and,
 81, 92–94, 99–101, 104
 vertebrate endoderm
 development and, 396
- Cell motility
 ADF/cofilin family
 proteins and, 185–86
- Cell polarity
 yeast and
 actin, 382–83
 asymmetric control of
 cell fate, 367–68
 Bud3, 371–72
 Bud4, 371–72
 Bud10, 371–72
 budding in
 cell-type-specific
 patterns, 368–74
 building axis in chosen
 direction, 377–82
 Cdc42 GTPase, 377–80
 choosing direction for
 polarization, 368–74
 cytoskeleton, 379–80,
 382–84
 description of polarized
 yeast cell, 366–67
 future research, 384–85
 introduction, 366–68
 mating signal
 transduction, 376
 mating toward a partner,
 375–77
 mechanism of choosing
 bud site in axial pattern,
 369–72
 mechanism of choosing
 bud site in bipolar
 pattern, 372–74
 microtubules, 383
 miscellaneous factors,
 381–82
 orienting axes for
 budding and mating,
 368–74
 pathway for orienting
 toward a partner, 377
 polarity establishment
 machinery, 377
 regulation by cell type,
 374–77
 Rho GTPases, 380
 Rho1, 380–81
 Rho2, 380–81
 Rho3, 381
 Rho4, 381
 secretory machinery,
 382–84
 steps in polarizing cell,
 368
- Cell proliferation
 lymphocyte cell death and,
 113
- Cell sorting
 synaptic vesicle biogenesis
 and, 733–84
- Cell specification
 lymphocyte cell death and,
 122–23
 neural crest formation and,
 86–93
 signaling network for
 Dictyostelium spp. and,
 469–505
 switching to flowering and,
 537–39
 vertebrate endoderm
 development and,
 393–405
- Cell surface death receptors
 caspase activation during
 apoptosis and, 269, 271,
 274–77
- Cell-type proportioning
 signaling network for
 Dictyostelium spp. and,
 491–94
- CENP-E protein
 kinesin motor utilization
 and, 152–53, 162
- Central nervous system
 (CNS)
 neural crest formation and,
 88, 99–100
- Centrioles
 kinesin motor utilization
 and, 143
- Centromeres
 switching to flowering and,
 528
- CENTRORADIALIS* gene
 switching to flowering and,
 524

- Centrosomes
 ADF/cofilin family
 proteins and, 211
 kinesin motor utilization
 and, 143, 158–59
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 449–50
- Ceramide
 lymphocyte cell death and,
 125
- Cerberus factor
 neural induction and, 399,
 415, 417, 427
- Chaperones
 actin-related proteins and,
 358
- CH domains
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 459
- CHI* gene
 blue-light photoreceptors
 in higher plants and,
 39–40
- Chicks
 ADF/cofilin family
 proteins and, 187–88,
 192, 195, 203, 218
 neural crest formation and,
 81–84, 86–87, 89, 91, 94,
 96, 98
 neural induction and,
 421–22, 424, 426
 vertebrate endoderm
 development and, 393,
 397, 399
- Chimeras
 ADF/cofilin family
 proteins and, 213–14
 kinesin motor utilization
 and, 150, 161
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 448
 switching to flowering and,
 524
- Chlamydomonas* spp.
 blue-light photoreceptors
 in higher plants and,
 42–43
 kinesin motor utilization
 and, 156–57
- Clathrin
 adaptors for
 clathrin-mediated traffic
 and, 705–24
 synaptic vesicle biogenesis
 and, 733, 748–51, 770–75
- CLF* gene
 switching to flowering and,
 528
- chordin* gene
 neural crest formation and,
 83
 neural induction and,
 419–24
- Chromophores
 blue-light photoreceptors
 in higher plants and, 33,
 37, 47, 53
 visual transduction in
 Drosophila spp. and, 243
- Chromosomes
 kinesin motor utilization
 and, 143–44, 147–49,
 152–53, 162, 164, 168–69
- CHS* gene
 blue-light photoreceptors
 in higher plants and,
 39–40
- Ci* gene
 kinesin motor utilization
 and, 162
- Cilia
 kinesin motor utilization
 and, 148, 150, 156
- Circadian rhythms
 blue-light photoreceptors
 in higher plants and, 33,
 43–44, 53
 regulation of nuclear
 localization and, 314
- cla4* gene
 cell polarity in yeast and,
 379
- Cleavage
 caspase activation during
 apoptosis and, 269
- Cloning
 switching to flowering and,
 519–44
- Coated pits
 clathrin-mediated traffic
 and, 705, 722–23
- co* gene
 switching to flowering and,
 533–36, 539, 543
- Coiled coils
 actin-microtubule
 cooperation and, 66, 75
 ADF/cofilin family
 proteins and, 186
 kinesin motor utilization
 and, 145–46
- Col* gene
 switching to flowering and,
 525, 527
- Collisional quenchers
 translocons and
 endoplasmic reticulum
 membrane, 809
- Colon cancer
 vertebrate endoderm
 development and, 401
- Compartmentation
 ADF/cofilin family
 proteins and, 199
 nuclear transport and,
 607–43
 synaptic vesicle biogenesis
 and, 736–52
- Competence
 ectodermal
 neural induction and,
 416
- Compound eye
 visual transduction in
 Drosophila spp. and,
 231–59
- Concentration-dependent

- ectodermal patterning
- neural induction and, 416-17
- Conserved motor domain
- kinesin superfamily and, 141-71
- cop* genes
- blue-light photoreceptors
- in higher plants and, 38, 40, 52
- Copy DNA (cDNA)
- ADF/cofilin family
- proteins and, 188, 218
- HIF-1 and O₂ homeostasis, 552-53
- translocons and
- endoplasmic reticulum
- membrane, 804
- COS cells
- neural induction and, 421
- Co-stimulation
- lymphocyte cell death and, 113
- Cotranslation protein
- translocation
- endoplasmic reticulum
- membrane and, 799-832
- CPH1* gene
- blue-light photoreceptors
- in higher plants and, 42
- Craniofacial cartilage
- neural crest formation and, 81, 96, 98
- CRIB motif
- cell polarity in yeast and, 379
- CRM1 protein
- nuclear transport and, 633-36
- Crm1 receptor
- regulation of nuclear
- localization and, 304-5, 308, 321-22
- CrmA protein
- caspase activation during
- apoptosis and, 276
- Cross-linking
- kinesin motor utilization
- and, 150, 158-60
- Cross-talk
- lymphocyte cell death and, 128
- cry* genes
- blue-light photoreceptors
- in higher plants and, 34-35, 37, 40-44, 46, 50-53
- switching to flowering and, 534-35
- Cryptochromes
- blue-light photoreceptors
- in higher plants and, 33, 35-44, 51
- switching to flowering and, 534
- C-terminal domains
- actin-microtubule
- cooperation and, 66
- actin-related proteins and, 343
- adaptors for
- clathrin-mediated traffic
- and, 707
- ADF/cofilin family
- proteins and, 192, 219
- blue-light photoreceptors
- in higher plants and, 33, 41, 43, 51
- caspase activation during
- apoptosis and, 274-75, 281
- kinesin motor utilization
- and, 145, 148, 150, 160, 164, 166-68
- neural crest formation and, 97
- [*PSI*+] factor and, 666
- regulation of nuclear
- localization and, 304
- SCF and
- Ring-H2/Cullin-based
- ubiquitin ligases, 443-44, 447, 450-51, 456
- translocons and
- endoplasmic reticulum
- membrane, 811, 815, 822-23
- visual transduction in
- Drosophila* spp. and, 244-45, 254
- CVT pathway
- vacuolar import of proteins
- and organelles from
- cytoplasm, 8-18, 28
- Cyclic adenosine
- monophosphate (cAMP)
- ADF/cofilin family
- proteins and, 199, 206
- regulation of nuclear
- localization and, 316-17
- signaling network for
- Dictyostelium* spp. and, 469-505
- Cyclic guanosine
- monophosphate (cGMP)
- visual transduction in
- Drosophila* spp. and, 238-39, 248
- Cyclin B
- regulation of nuclear
- localization and, 306-8, 329
- Cycloheximide
- vacuolar import of proteins
- and organelles from
- cytoplasm, 19
- Cyclophilin D
- caspase activation during
- apoptosis and, 279
- Cyclosporin A
- caspase activation during
- apoptosis and, 279
- Cysteine
- lymphocyte cell death and, 123
- regulation of nuclear
- localization and, 321
- SCF and
- Ring-H2/Cullin-based
- ubiquitin ligases, 446, 455

- Cystic fibrosis
vertebrate endoderm
development and, 394
- Cytochalasin D
actin-microtubule
cooperation and, 68
- Cytochrome c
caspase activation during
apoptosis and, 269,
277-84
lymphocyte cell death and,
125-26
- Cytokines
ADF/cofilin family
proteins and, 185-86
caspase activation during
apoptosis and, 272
vertebrate endoderm
development and, 404
- Cytoplasm
ADF/cofilin family
proteins and, 190, 199,
207, 219
kinesin motor utilization
and, 158, 163-66
lymphocyte cell death and,
115-16, 120-21, 126
nuclear transport and, 607
[PSI⁺] factor and, 670-71
regulation of nuclear
localization and, 292-329
signaling network for
Dictyostelium spp. and,
469-505
vacuolar import or proteins
and organelles from, 1-28
visual transduction in
Drosophila spp. and, 240,
244
- Cytoplasmic anchoring
regulation of nuclear
localization and, 322-26
- Cytoplasmic localization
domain
regulation of nuclear
localization and, 314-15
- Cytoskeleton
actin-microtubule
cooperation and, 63-64,
68-69, 73, 75
ADF/cofilin family
proteins and, 217
cell polarity in yeast and,
365, 377, 379-80, 382-84
kinesin motor utilization
and, 142
neural crest formation and,
99
- Cytosol
adaptors for
clathrin-mediated traffic
and, 705-24
lymphocyte cell death and,
120
synaptic vesicle biogenesis
and, 768-84
translocons and
endoplasmic reticulum
membrane, 813, 831
vacuolar import of proteins
and organelles from
cytoplasm, 2, 5-6, 8-9,
11-13, 17-19, 23, 27
viral interference and MHC
class I, 594-97
- D**
- Dbt* gene
regulation of nuclear
localization and, 316
- ddm1* gene
switching to flowering and,
529
- Deactivation
visual transduction in
Drosophila spp. and, 237,
243-45, 254
- Death domains
caspase activation during
apoptosis and, 274, 276
lymphocyte cell death and,
116-17, 119-22
- Death-inducing signaling
complex (DISC)
caspase activation during
apoptosis and, 269, 275
- Default model
neural induction and,
411-27
- Dendrites
actin-microtubule
cooperation and, 70, 72
actin-related proteins and,
353
ADF/cofilin family
proteins and, 216
kinesin motor utilization
and, 144, 148-49, 159
- Depactin
ADF/cofilin family
proteins and, 187
- Dephosphorylation
ADF/cofilin family
proteins and, 191, 203-7,
209, 211
synaptic vesicle biogenesis
and, 783-84
visual transduction in
Drosophila spp. and,
244
- Depolymerization
ADF/cofilin family
proteins and, 188, 193-97
couplers
kinesin motor utilization
and, 145, 150, 160-62
- Destrin
ADF/cofilin family
proteins and, 193
- Desulfovibrio vulgaris*
blue-light photoreceptors
in higher plants and, 47
- Determinancy
switching to flowering and,
524
- Determinant-specific
blockade
viral interference and MHC
class I, 583-84
- det* genes
blue-light photoreceptors

- in higher plants and, 38, 40
- Development
- HIF-1 and O₂ homeostasis, 551-71
 - lymphocyte cell death and, 113
 - switching to flowering and, 519-44
 - vertebrate endoderm and, 393-405
- DFR* gene
- blue-light photoreceptors in higher plants and, 40
- Diabetes
- vertebrate endoderm development and, 394, 402
- Diacylglycerol
- visual transduction in *Drosophila* spp. and, 232, 237-39, 246-47
- Dictyostelium discoideum*
- actin-related proteins and, 354
 - ADF/cofilin family proteins and, 188-89, 195, 211, 213-14, 218
 - differentiation and integration of signaling networks
 - aggregation, 470-71
 - cAMP as morphogen, 479-81
 - cAMP functions through cARs to regulate cell-type differentiation, 486-89
 - cAMP receptors, 471-75
 - cAR1, 471-75
 - cAR3, 471-75
 - cell-type proportioning, 491-505
 - developmental switch from aggregation to multicellular development, 477-79
- DIF, 479-81
- formation of multicellular organism, 470-71
- GBF transcription factor, 47-86
- genetics, 481-86
- intracellular cAMP
- activates cAMP-dependent protein kinase, 476-77
 - intracellular responses elicited by extracellular cAMP, 475-76
 - introduction, 470
 - molecular pathways, 471-91
 - morphogens, 479-81
 - perspective, 505
 - prespore populations, 479-81
 - prestalk populations, 479-81
 - protein kinase A, 489-91
 - SDF1, 500-2
 - SDF2, 500-2
 - signaling pathways
 - controlling terminal differentiation, 494-505
 - STATa regulates stalk differentiation, 503-5
 - transcriptional regulation of terminal differentiation, 502-3
- SCF and Ring-H2/Cullin-based ubiquitin ligases, 441, 449
- DIF-1 morphogen
- signaling network for *Dictyostelium* spp. and, 469, 479-81
- dilute* mutation
- actin-microtubule cooperation and, 63, 67, 69-70
- Dimerization
- actin-microtubule cooperation and, 65-66
- blue-light photoreceptors in higher plants and, 45, 48
- caspase activation during apoptosis and, 275
- HIF-1 and O₂ homeostasis, 557-58
- kinesin motor utilization and, 150, 159
- regulation of nuclear localization and, 309-11
- visual transduction in *Drosophila* spp. and, 245
- dino* gene
- neural induction and, 423
- Diphtheria toxin
- caspase activation during apoptosis and, 280
- Diploidy
- cell polarity in yeast and, 366, 371-75
 - [PSI⁺] factor and, 665, 670
- Direct cleavage
- caspase activation during apoptosis and, 269
- Diva protein
- caspase activation during apoptosis and, 282
- Diversification
- neural crest formation and, 81, 102-4
 - nuclear transport and, 623-42
- Dimethyl sulfoxide (DMSO)
- ADF/cofilin family proteins and, 202
- DNA-binding domains
- HIF-1 and O₂ homeostasis, 557-58
 - regulation of nuclear localization and, 318-19
- DNA photolyases
- blue-light photoreceptors in higher plants and, 33, 37-38, 43, 52
- Dodecamerization

- vacuolar import of proteins and organelles from cytoplasm, 9, 11
- Donor membranes
- synaptic vesicle biogenesis and, 733, 739–44, 747–51
- Double-labeling technique
- vacuolar import of proteins and organelles from cytoplasm, 21
- Downstream effectors
- visual transduction in *Drosophila* spp. and, 245–46
- Downstream events
- blue-light photoreceptors in higher plants and, 33, 48, 52
- dpp* gene
- neural induction and, 419, 424
- Drosophila melanogaster*
- actin-related proteins and, 350, 357
 - ADF/cofilin family proteins and, 204, 211, 218
 - blue-light photoreceptors in higher plants and, 44, 47
 - caspase activation during apoptosis and, 271, 273, 283
 - cell polarity in yeast and, 381
 - kinesin motor utilization and, 152, 155–56, 159–60, 162, 167, 170
 - neural induction and, 415–16, 419, 424
 - regulation of nuclear localization and, 311–12, 314–16, 323, 325–26
- SCF and
- Ring-H2/Cullin-based ubiquitin ligases, 439, 442, 452
- synaptic vesicle biogenesis and, 749–50, 775–77
- translocons and
- endoplasmic reticulum membrane, 804
 - visual transduction and, 231–59
- Duodenum
- vertebrate endoderm development and, 404–5
- Dynactin
- actin-related proteins and, 341, 344, 346–48
 - kinesin motor utilization and, 168
- Dynamin
- synaptic vesicle biogenesis and, 733, 775–78
- Dynamin-interacting proteins
- synaptic vesicle biogenesis and, 775–78
- Dynein
- actin-microtubule cooperation and, 65, 69, 76
 - actin-related proteins and, 341
 - kinesin motor utilization and, 143, 151, 153, 155, 157, 163–64, 166, 168
- E**
- E6-AP ligase
- SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 455
- Ear domain
- α chain
 - adaptors for
 - clathrin-mediated traffic and, 710–11
- Ectoderm
- neural induction and, 411–27
- Effector cells
- lymphocyte cell death and, 114–28
- EF hands
- visual transduction in *Drosophila* spp. and, 240–41
- Egl-1 protein
- caspase activation during apoptosis and, 282
- Electroretinogram (ERG)
- visual transduction in *Drosophila* spp. and, 233, 236–37, 248
- elf* genes
- switching to flowering and, 527–28, 535
- elg* gene
- switching to flowering and, 528
- Elongin C
- SCF and
 - Ring-H2/Cullin-based ubiquitin ligases, 457, 459–60
- Embryos
- ADF/cofilin family proteins and, 201, 214–15
 - cell polarity in yeast and, 365–85
 - HIF-1 and O₂ homeostasis, 551–71
 - neural crest formation and, 81–104
- emf* genes
- switching to flowering and, 528
- En-2* gene
- neural crest formation and, 89–90
- Endocytosis
- adaptors for
 - clathrin-mediated traffic and, 705–24
 - early
 - synaptic vesicle biogenesis and, 761–62
 - fluid-phase
 - ADF/cofilin family proteins and, 185, 219

- Endoderm development
vertebrate
A-P patterning of early endoderm, 396-97
budding of organs, 403-5
cell differentiation, 403-5
duodenum, 404-5
endoderm formation, 394-97
fate map, 397-98
future research, 405
gastrulation, 394-95
gut tube formation and patterning, 397-403
hindgut, 401
introduction, 393-94
liver, 399
lung, 403-4
mesenchymal/epithelial interactions, 403-5
morphogenetic movements, 397-98
pancreas, 399-405
regulation of endoderm cell fate, 395-96
signal transduction, 398-401
stomach, 404-5
transcription factors, 401-3
- Endonucleases
regulation of nuclear localization and, 305-6
- Endoplasmic reticulum
actin-microtubule cooperation and, 72
kinesin motor utilization and, 148-49, 153-54, 165
membrane
translocons and, 799-832
regulation of nuclear localization and, 322-23
synaptic vesicle biogenesis and, 734
- vacuolar import of proteins and organelles from cytoplasm, 3, 8, 27
viral interference and MHC class I, 588-91
- Endosomes
adaptors for clathrin-mediated traffic and, 705-24
synaptic vesicle biogenesis and, 733, 739-40
- ENO1* gene
HIF-1 and O₂ homeostasis, 568
- Envelope
nuclear
regulation of nuclear localization and, 292-329
- Environmental cues
switching to flowering and, 519-44
vacuolar import of proteins and organelles from cytoplasm, 1
- EPAS* gene
HIF-1 and O₂ homeostasis, 565
- Epidermal cells
neural crest formation and, 81-104
neural induction and, 413
- Epigenetic modulation
translation termination efficiency and, 661-96
- EPO* gene
HIF-1 and O₂ homeostasis, 554-55, 561, 564
- EPS15
synaptic vesicle biogenesis and, 774
- Epsin
synaptic vesicle biogenesis and, 774
- Eppstein-Barr virus (EBV)
lymphocyte cell death and, 127
- erecta* gene
switching to flowering and, 525
- ERK2 protein
regulation of nuclear localization and, 329
- Erythropoietin
HIF-1 and O₂ homeostasis, 551, 554-55, 561, 564
- ES cells
HIF-1 and O₂ homeostasis, 564-65
- Escherichia coli*
blue-light photoreceptors in higher plants and, 36-37, 41, 43, 47
SCF and Ring-H2/Cullin-based ubiquitin ligases, 444, 446, 448
- esd4* gene
switching to flowering and, 528
- Ethanol
vacuolar import of proteins and organelles from cytoplasm, 19-20, 23, 27
- Eukaryotic cells
ADF/cofilin family proteins and, 185-219
cell polarity in yeast and, 365-85
kinesin motor utilization and, 141-71
nuclear transport and, 607-43
regulation of nuclear localization and, 292-329
SCF and Ring-H2/Cullin-based ubiquitin ligases, 435-61
vacuolar import of proteins and organelles from cytoplasm, 1-28
- Eukaryotic initiation factor 4A (eIF-4A)
neural induction and, 425

- Evolution
 kinesin motor utilization
 and, 165
 vertebrate endoderm
 development and, 401
- Exclusion signals
 synaptic vesicle biogenesis
 and, 762–65
- Exportins
 nuclear transport and,
 607–43
 regulation of nuclear
 localization and, 292–329
 switching to flowering and,
 530
- Extracellular signals
 lymphocyte cell death and,
 113
- Eye
 visual transduction in
 Drosophila spp. and,
 231–59
- Ezrin
 ADF/cofilin family
 proteins and, 209
- F**
- F-actin
 ADF/cofilin family
 proteins and, 185–88,
 191, 193–96, 201,
 213–14, 219
- FAST-1* gene
 neural crest formation and,
 97
- Fate map
 vertebrate endoderm
 development and,
 397–98
- F boxes
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 435,
 444–48, 450–51, 457–59
- FCA* gene
 switching to flowering and,
 529–33, 536, 539, 543
- fd* gene
 switching to flowering and,
 533, 536–37
- fe* gene
 switching to flowering and,
 533, 536–37
- Fetuses
 HIF-1 and O₂ homeostasis,
 551–71
- fgf* genes
 vertebrate endoderm
 development and, 395,
 403–4
- Fgfr1*^{-/-} gene
 vertebrate endoderm
 development and, 396
- fha* gene
 blue-light photoreceptors
 in higher plants and, 42
 switching to flowering and,
 534
- Fibroblast growth factor
 (FGF)
 neural crest formation and,
 81, 86, 88–89, 91–93, 95
 neural induction and,
 425–26
 vertebrate endoderm
 development and,
 395–97, 403–4
- Fibroblasts
 ADF/cofilin family
 proteins and, 199, 201,
 213, 215–16
 cell polarity in yeast and,
 385
 kinesin motor utilization
 and, 153
- Filaments
 actin
 actin-microtubule
 cooperation and, 63, 65,
 68–71, 74
 actin-related proteins
 and, 344, 351–53
 ADF/cofilin family
 proteins and, 185–219
 visual transduction in
 Drosophila spp. and,
 256
 kinesin motor utilization
 and, 142, 158
- Fish
 actin-microtubule
 cooperation and, 66,
 68–69
- Fission
 synaptic vesicle biogenesis
 and, 733, 747
- Fkh6* gene
 vertebrate endoderm
 development and, 404
- FKR* gene
 switching to flowering and,
 525
- fla10* gene
 kinesin motor utilization
 and, 157
- Flagella
 kinesin motor utilization
 and, 148, 156–57
- Flavoproteins
 blue-light photoreceptors
 in higher plants and, 33
- FLC* gene
 switching to flowering and,
 525, 527–28, 530–33,
 540–41, 543
- fld* gene
 switching to flowering and,
 529
- FLIP protein
 lymphocyte cell death and,
 115, 121–22
- Floral meristem identity
 genes
 switching to flowering and,
 519, 537–42
- Floral transition
 Arabidopsis spp and,
 519–44
- Flowering
 when to switch to
 activation of floral

- meristem identity genes, 539-40
autonomous promotion pathway, 529-32
determinancy of apex, 524
FT subgroup, 536-37
genes promoting floral transition, 529-37
genes repressing floral transition, 526-29
genes specifying floral meristems, 537-39
gibberellic acid promotion pathway, 533-34
interaction of pathways, 541-43
introduction, 521
multiple pathways regulating floral transition, 525-37
perspectives, 544
phase transition, 522-25
photoperiod promotion pathway, 534-36
primordia identity, 524-25
putting component pathways together, 540-41
relative importance of pathways controlling floral transition change in time and space, 543
reproductive phase change, 522-23
reversion of phase transitions, 524
robust network controlling floral transition, 543
shoot apical meristem, 522-25
vegetative phase change, 522-23
vernalization promotion pathway, 532-33
- F**
- Focusers**
kinesin motor utilization and, 150
- follistatin* gene**
neural crest formation and, 84
neural induction and, 415, 417, 420-22
- fpa* gene**
switching to flowering and, 530-31, 533, 536
- FPPF* gene**
switching to flowering and, 533
- FRI* gene**
switching to flowering and, 525, 527-28, 531-33, 540-41, 543
- Frogs**
actin-microtubule cooperation and, 66-69
neural crest formation and, 91
neural induction and, 411-27
vertebrate endoderm development and, 393
- Fructose-1,6-biphosphatase**
vacuolar import of proteins and organelles from cytoplasm, 26-27
- Fruiting bodies**
signaling network for *Dictyostelium* spp. and, 469-505
- FT* genes**
switching to flowering and, 519, 526, 533, 536-37, 540-43
- FTS* gene**
switching to flowering and, 529
- Fungi**
ADF/cofilin family proteins and, 219
blue-light photoreceptors in higher plants and, 46
kinesin motor utilization and, 146, 154, 164, 166
[PSI⁺] factor and, 666, 695
- fus* genes**
blue-light photoreceptors in higher plants and, 38, 40
- fy* gene**
switching to flowering and, 529, 531, 533, 536, 539
- fwa* gene**
switching to flowering and, 529, 533, 536-37
- fy* gene**
switching to flowering and, 529
- G**
- gal* gene**
switching to flowering and, 534, 539
- ga* gene**
switching to flowering and, 533
- gai* gene**
switching to flowering and, 533-34
- Gain-of-function mutations**
vacuolar import of proteins and organelles from cytoplasm, 18
- GAP* genes**
blue-light photoreceptors in higher plants and, 39
- garnet* gene**
synaptic vesicle biogenesis and, 750, 775
- Gastrointestinal (GI) tract**
vertebrate endoderm development and, 393-405
- Gastrulation**
neural induction and, 411-27
vertebrate endoderm development and, 393-95

- Gata1* gene
neural induction and, 417
- GBF transcription factor
signaling network for
Dictyostelium spp. and,
467, 469, 477–79, 481–86
- Gelsolin
ADF/cofilin family
proteins and, 192–94,
200
- Geminin
neural induction and, 424
- Genetics
actin-microtubule
cooperation and, 63,
72–75
actin-related proteins and,
341, 349–50, 356
adaptors for
clathrin-mediated traffic
and, 705–24
ADF/cofilin family
proteins and, 185–219
blue-light photoreceptors
in higher plants and, 33,
36–37, 41
caspase activation during
apoptosis and, 278–79
cell polarity in yeast and,
367–74, 376, 384
HIF-1 and O₂ homeostasis,
551–71
kinesin motor utilization
and, 146, 148–49,
151–52, 154–58, 163–64,
166–67, 170
lymphocyte cell death and,
119, 127
neural crest formation and,
81–104
neural induction and, 414,
416–17, 419, 421–25, 427
[PSI⁺] factor and, 661–96
regulation of nuclear
localization and, 301,
311, 316
signaling network for
Dictyostelium spp. and,
481–86
switching to flowering and,
519–44
vacuolar import of proteins
and organelles from
cytoplasm, 7–10, 13–17,
25–28
vertebrate endoderm
development and,
395–405
viral interference and MHC
class I, 579, 599–600
visual transduction in
Drosophila spp. and,
231–59
- Germ layers
vertebrate endoderm
development and, 393
- GFP-SKL construct
vacuolar import of proteins
and organelles from
cytoplasm, 21
- Gibberellic acid pathway
switching to flowering and,
524, 526, 533–34, 541–43
- gid* gene
vacuolar import of proteins
and organelles from
cytoplasm, 27
- gi* gene
switching to flowering and,
533, 535–36, 539
- Gliding
ADF/cofilin family
proteins and, 209
- Gli proteins
neural crest formation and,
97
- Glucocorticoid receptor
regulation of nuclear
localization and, 317–20
- Glucose
vacuolar import of proteins
and organelles from
cytoplasm, 19–20, 22–23,
27
- Glucose-induced selective
autophagy genes
vacuolar import of proteins
and organelles from
cytoplasm, 25–26
- Glucose transporters
HIF-1 and O₂ homeostasis,
551, 555
- Glutamate
actin-microtubule
cooperation and, 72
ADF/cofilin family
proteins and, 217
- Golgi complex
actin-microtubule
cooperation and, 65, 72,
74
kinesin motor utilization
and, 148–49, 153–56,
164–65, 170
synaptic vesicle biogenesis
and, 734–46
vacuolar import of proteins
and organelles from
cytoplasm, 2–3, 8, 15, 27
- G proteins
actin-related proteins and,
356
ADF/cofilin family
proteins and, 205
cell polarity in yeast and,
385
kinesin motor utilization
and, 170
- SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 454
visual transduction in
Drosophila spp. and,
231–32, 236–39, 245–46,
251, 258–59
- Growth cones
neuronal
ADF/cofilin family
proteins and, 185, 208
- Growth factors
neural crest formation and,

- 81, 86, 88–93, 95, 104
 neural induction and,
 412–13, 420, 423, 425–26
 vertebrate endoderm
 development and, 393,
 395–97, 403–5
- GSA genes**
 vacuolar import of proteins
 and organelles from
 cytoplasm, 25–26
- GSK-3 protein**
 signaling network for
Dictyostelium spp. and,
 469
- GTPases**
 cell polarity in yeast and,
 365, 377–80
 neural crest formation and,
 101
 translocons and
 endoplasmic reticulum
 membrane, 813–14,
 832
- GTP-binding proteins**
 synaptic vesicle biogenesis
 and, 775–79
- Guanosine triphosphate
 (GTP)**
 actin-related proteins and,
 355
- Gut tube**
 vertebrate endoderm
 development and, 393,
 397–403
- H**
- Hairpins**
 caspase activation during
 apoptosis and, 280
- Halobacterium halobium***
 blue-light photoreceptors
 in higher plants and, 47
- Hansenula polymorpha***
 vacuolar import of proteins
 and organelles from
 cytoplasm, 23–25
- Haploidy**
 cell polarity in yeast and,
 366, 371–76
 regulation of nuclear
 localization and, 305, 313
- has1* gene**
 switching to flowering and,
 522
- Heat shock proteins**
 [PSI⁺] factor and, 672,
 678–80, 686
- HECT domain**
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 455
- hedgehog* gene**
 kinesin motor utilization
 and, 149
- α -Helicity**
 actin-microtubule
 cooperation and, 66
 ADF/cofilin family
 proteins and, 186, 191–92
 blue-light photoreceptors
 in higher plants and, 36
 kinesin motor utilization
 and, 145–46
 regulation of nuclear
 localization and, 312
 translocons and
 endoplasmic reticulum
 membrane, 829
- Helix-loop-helix motif**
 HIF-1 and O₂ homeostasis,
 551–71
- Hensen's node**
 neural induction and, 421
- HepG2 cells**
 HIF-1 and O₂ homeostasis,
 564
- HERG potassium channel**
 blue-light photoreceptors
 in higher plants and,
 47–48
- Herpesviridae***
 viral interference and MHC
 class I, 588–91
- Hex1* gene**
 vertebrate endoderm
 development and, 396–97
- Heterodimerization**
 HIF-1 and O₂ homeostasis,
 551–71
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 448, 455
- Heteromultimeric channels**
 visual transduction in
Drosophila spp. and,
 249–50
- Hetero-oligomeric complexes**
 synaptic vesicle biogenesis
 and, 757–58
- Heterotrimerization**
 ADF/cofilin family
 proteins and, 205
 cell polarity in yeast and,
 376
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 454
 visual transduction in
Drosophila spp. and, 232,
 238–39, 245–46, 259
- Hex1 transcription factor**
 vertebrate endoderm
 development and, 399
- Hif1a^{-/-} mice**
 HIF-1 and O₂ homeostasis,
 564–66, 568
- Higher plants**
 blue-light photoreceptors
 in higher plants and,
 33–53
- Higher vertebrates**
 lymphocyte cell death and,
 113–14
- Hindgut**
 vertebrate endoderm
 development and, 401
- Hippocampus**
 ADF/cofilin family
 proteins and, 191
- Hirano bodies**
 ADF/cofilin family

- proteins and, 216-17
- Histidine**
- SCF and
- Ring-H2/Cullin-based ubiquitin ligases, 446
- Histidine kinase**
- signaling network for *Dictyostelium* spp. and, 469, 495-98, 501
- Histones**
- regulation of nuclear localization and, 327
- HL-60 cells**
- ADF/cofilin family proteins and, 212
- HNF gene**
- vertebrate endoderm development and, 402
- Hodgkin's disease**
- lymphocyte cell death and, 126-27
- Hog1 protein**
- regulation of nuclear localization and, 310-11, 327
- HO gene**
- cell polarity in yeast and, 367
- Homeobox genes**
- neural crest formation and, 97
- vertebrate endoderm development and, 400
- Homeostasis**
- lymphocyte cell death and, 128
- mammalian O₂
- HIF1** and, 551-71
- Homomultimerization**
- visual transduction in *Drosophila* spp. and, 250, 256-57
- Homo-oligomeric complexes**
- synaptic vesicle biogenesis and, 757
- Homo sapiens**
- [PSI+] factor and, 666
- SCF and
- Ring-H2/Cullin-based ubiquitin ligases, 440-42, 452-53
- Homotrimeric proteins**
- lymphocyte cell death and, 116
- hox genes**
- vertebrate endoderm development and, 400-2
- Hrt1 protein**
- SCF and
- Ring-H2/Cullin-based ubiquitin ligases, 446, 450
- Hsp90 protein**
- regulation of nuclear localization and, 318-19
- Hsp104 protein**
- [PSI+] factor and, 672, 678-80, 686
- Human immunodeficiency virus (HIV)**
- ADF/cofilin family proteins and, 209
- Hydrolases**
- vacuolar import of proteins and organelles from cytoplasm, 1
- Hydrolysis**
- ADF/cofilin family proteins and, 202-3
- nuclear transport and, 618-19
- Hydrophilicity**
- translocons and endoplasmic reticulum membrane, 809
- vacuolar import of proteins and organelles from cytoplasm, 16
- Hydrophobicity**
- visual transduction in *Drosophila* spp. and, 254
- hy genes**
- blue-light photoreceptors in higher plants and, 36-40, 43
- switching to flowering and, 535
- Hypoxia-inducible factor 1 (HIF-1)**
- mammalian O₂
- homeostasis and
- apoptosis, 568
- cellular responses, 566-67
- development, 564-66
- dimerization, 557-58
- DNA-binding domains, 557-58
- future research, 571
- HIF1 α , 556-60, 568-70
- human cancers, 569-70
- human tumor cell lines, 569-70
- introduction, 552
- isolation of cDNA sequences, 552-53
- messenger RNA, 560
- nuclear localization signals, 560
- oncogenic activation, 568-69
- physiologic activation, 568
- protein stability domains, 559-60
- purification of HIF-1, 552-53
- regulation of HIF-1 activity, 560-64
- structure-function analysis of HIF-1, 556-60
- systemic responses, 566-67
- target genes
- transactivated by HIF-1, 554-56
- transactivation domains, 558-59
- tumor progression, 566-70

I

- IAP proteins
caspase activation during
apoptosis and, 269,
283–84
- Ice plant
blue-light photoreceptors
in higher plants and, 46
- IGF2 gene
HIF-1 and O₂ homeostasis,
569
- Immune system
cell polarity in yeast and,
365–85
lymphocyte cell death and,
113–28
viral interference and MHC
class I, 579–601
- Importins
nuclear transport and,
607–43
regulation of nuclear
localization and, 292–329
- INAD protein
visual transduction in
Drosophila spp. and, 232,
240–41, 254–59
- ina* genes
visual transduction in
Drosophila spp. and, 232,
237, 252–53, 255, 258
- Induction
neural crest formation and,
81–85
neural induction and,
411–27
[PSI⁺] factor and, 692–93
switching to flowering and,
530, 542
- Infection
lymphocyte cell death and,
113
- Inositol-1,3,5-triphosphate
(IP3)
visual transduction in
Drosophila spp. and, 232,
239, 246–47

- Internal resources
switching to flowering and,
519–44
- Intraflagellar transport
kinesin motor utilization
and, 157
- IQGAP proteins
cell polarity in yeast and,
380
- Ischemia
HIF-1 and O₂ homeostasis,
551–71
- Ischemic kidney disease
ADF/cofilin family
proteins and, 217–18
- Isl-1* gene
vertebrate endoderm
development and, 402,
405
- Isoforms
ADF/cofilin family
proteins and, 195,
197–98, 215, 218
- J**
- JUV gene
switching to flowering and,
525
- K**
- Kar2p protein
translocons and
endoplasmic reticulum
membrane, 802, 824
- Kar9* gene
cell polarity in yeast and,
383
- Keratinocytes
actin-microtubule
cooperation and, 67
ADF/cofilin family
proteins and, 216
- KFERQ motif
vacuolar import of proteins
and organelles from
cytoplasm, 26–27
- Kidney cells

- kinesin motor utilization
and, 155
- Kidney disease
ADF/cofilin family
proteins and, 217–18
- Kinases
ADF/cofilin family
proteins and, 185, 203–7
blue-light photoreceptors
in higher plants and, 33,
48
lymphocyte cell death and,
122–23
regulation of nuclear
localization and, 316–17
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 454
signaling network for
Dictyostelium spp. and,
469, 476–77, 495–98
visual transduction in
Drosophila spp. and,
240–41
- Kinesins
actin-microtubule
cooperation and, 63, 66,
69, 71, 74–76
motor utilization and
basic principles, 143–47
cargo attachment
strategies, 147, 150–70
catastrophe factors,
160–62
chromosomes, 152–53
cross-linking
microtubules, 158–60
depolymerization
couplers, 160–62
functional redundancy,
163–65
functions of kinesins,
147–62
future research, 162–70
genomics, 166–67
introduction, 142
lysosomes, 150–51

- melanosomes, 151
 - membrane-associated rafts, 156–58
 - mitochondria, 156
 - nature of kinesins, 162–63
 - organelles and vesicles in secretory pathway, 153–56
 - perspectives, 170–71
 - signaling, 162
 - sliding microtubules, 158–60
 - soluble proteins, 156–58
 - structural design, 145
 - synaptic vesicle precursors, 151–52
 - thesaurus, 144
 - zippering microtubules, 160–62
- Kinetics**
- actin-related proteins and, 352
 - ADF/cofilin family proteins and, 194
 - regulation of nuclear localization and, 311
 - vacuolar import of proteins and organelles from cytoplasm, 10
 - visual transduction in *Drosophila* spp. and, 245
- Kinetochores**
- kinesin motor utilization and, 162
 - SCF and Ring-H2/Cullin-based ubiquitin ligases, 451
- Kiss-and-run mode**
- synaptic vesicle biogenesis and, 747–48
- KLP3A gene**
- kinesin motor utilization and, 164
- Knockouts**
- caspase activation during apoptosis and, 278–79
- neural crest formation and, 84, 90, 96
- neural induction and, 422–23
- Krox-20 gene**
- neural crest formation and, 89–90
- KRY gene**
- switching to flowering and, 525
- L**
- La³⁺**
- visual transduction in *Drosophila* spp. and, 249
- Large-protein complexes**
- actin-related proteins and, 341
- Latrunculin A**
- actin-microtubule cooperation and, 68
 - ADF/cofilin family proteins and, 198
- Lattices**
- ADF/cofilin family proteins and, 197
- ld gene**
- switching to flowering and, 529, 530–31
- Ler gene**
- switching to flowering and, 525, 527, 535–36
- Lettuce**
- switching to flowering and, 544
- Leucine**
- regulation of nuclear localization and, 304, 307, 312, 321
 - SCF and Ring-H2/Cullin-based ubiquitin ligases, 446–47
 - switching to flowering and, 530
- LFY gene**
- switching to flowering and, 524, 532, 534, 536–42
- LHY gene**
- switching to flowering and, 527, 535
- Life cycle**
- switching to flowering and, 519–44
- Ligand-binding domains**
- regulation of nuclear localization and, 318–19
- Ligases**
- SCF and Ring-H2/Cullin-based ubiquitin ligases, 435–61
- Light**
- blue-light photoreceptors in higher plants and, 33–53
 - visual transduction in *Drosophila* spp. and, 231–59
- Light-coincident receptor-potential (LCRP)**
- visual transduction in *Drosophila* spp. and, 233, 235–36
- Lily**
- ADF/cofilin family proteins and, 188
- Lim kinases**
- ADF/cofilin family proteins and, 185, 204–7
- Limk1/Limk2 proteins**
- ADF/cofilin family proteins and, 204–5, 217
- Lipids**
- synaptic vesicle biogenesis and, 759–61, 780–83
- Liposomes**
- synaptic vesicle biogenesis and, 770
- Listeria monocytogenes**
- actin-related proteins and, 353, 355
 - ADF/cofilin family proteins and, 212
- Liver**

- vertebrate endoderm
development and, 399
- LL motif
adaptors for
clathrin-mediated traffic
and, 716–18
- LMP1 protein
lymphocyte cell death and,
127
- Local delivery
actin-microtubule
cooperation and, 63, 68
- Localization
nuclear
regulation and, 292–329
- Long days
switching to flowering and,
524–26, 535–36, 540
- Long-haul trucks
kinesin motor utilization
and, 150
- Long-range transport
actin-microtubule
cooperation and, 63
- Long-term facilitation
regulation of nuclear
localization and, 317
- Loops
actin-related proteins and,
343
- Loss-of-function mutations
switching to flowering and,
537
- LOV domains
blue-light photoreceptors
in higher plants and, 33,
45–48
- Luminal domains
translocons and
endoplasmic reticulum
membrane, 799–832
- Lungs
vertebrate endoderm
development and, 403–4
- Lymphocytes
cell polarity in yeast and,
365–85
- Lymphocyte survival
cell death and
adaptor proteins, 120–22
anti-apoptotic pathways,
124–25
apoptosis, 115–16
Bcl-2 family, 124–25
caspases, 123–24
cell surface receptors as
triggers of lymphocyte
activation, 114–15
cytosol, 120
failure of control
mechanisms, 126–28
introduction, 114
kinases, 122–23
mitochondria, 125–26
nucleus, 120
pro-apoptotic pathways,
124–25
protein phosphorylation,
122–23
reversibility, 122–23
signal transduction
pathways, 120–25
specificity, 122–23
TNFR superfamily,
116–20
- Lymphoma
ADF/cofilin family
proteins and, 206, 213
- Lysine
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 443,
451, 456
translocons and
endoplasmic reticulum
membrane, 809
visual transduction in
Drosophila spp. and,
240–41
- Lysophosphatidic acyl
transferase
synaptic vesicle biogenesis
and, 733–84
- Lysosomes
kinesin motor utilization
and, 147–48, 150–51, 169
vacuolar import of proteins
and organelles from
cytoplasm, 1
viral interference and MHC
class I, 597
- M**
- Macroautophagy
vacuolar import of proteins
and organelles from
cytoplasm, 3–8
- Macropexophagy
vacuolar import of proteins
and organelles from
cytoplasm, 23–24
- Macrophages
ADF/cofilin family
proteins and, 212
lymphocyte cell death and,
114, 117
- MADS-type transcription
factor
switching to flowering and,
538
- Maize
ADF/cofilin family
proteins and, 198, 216
blue-light photoreceptors
in higher plants and, 35, 45
- Major histocompatibility
complex (MHC)
antigen processing and
presentation
viral interference and,
579–601
lymphocyte cell death and,
114
- Mammalian cells
actin-microtubule
cooperation and, 69–70
ADF/cofilin family
proteins and, 212–13
caspase activation during
apoptosis and, 269,
272–73

- neural induction and,
420-21
- Mating
cell polarity in yeast and,
368-76
- Mei2 protein
regulation of nuclear
localization and, 313,
329
- Meiosis
cell polarity in yeast and,
366
kinesin motor utilization
and, 144, 146, 152, 158,
160, 165-67
regulation of nuclear
localization and, 313
- Melanocytes
actin-microtubule
cooperation and, 69-70
- Melanophores
actin-microtubule
cooperation and, 66-69
- Melanosomes
kinesin motor utilization
and, 147, 151
- Membrane-associated rafts
kinesin motor utilization
and, 147-48, 150,
156-58, 167, 169
- Membrane budding
synaptic vesicle biogenesis
and, 733-84
- Membrane traffic
adaptors for
clathrin-mediated traffic
and, 705-24
- Meristem
switching to flowering and,
519-25, 528, 531, 537-42
- Mesembryanthemum*
crystallinum
blue-light photoreceptors
in higher plants and, 46
- Mesenchymal/epithelial
interactions
vertebrate endoderm
development and, 403-5
- Mesodermal patterning
neural induction and, 415
- Messenger RNA (mRNA)
ADF/cofilin family
proteins and, 198-99
blue-light photoreceptors
in higher plants and,
40-41, 43-44
cell polarity in yeast and,
367, 371
HIF-1 and O₂ homeostasis,
560-61, 564-66, 568
lymphocyte cell death and,
124
neural crest formation and,
85
nuclear transport and, 607,
637-42
[PSI⁺] factor and, 662
regulation of nuclear
localization and, 298
switching to flowering and,
527-28, 531, 533-35
translocons and
endoplasmic reticulum
membrane, 809
- MET1* gene
switching to flowering and,
533
- Met4 protein
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 458
- Metabolism
HIF-1 and O₂ homeostasis,
551
- Metalloproteases
neural induction and, 424
- Metaphase
kinesin motor utilization
and, 159
- Metarhodopsin
visual transduction in
Drosophila spp. and,
238-39, 243-45
- Metazoans
signaling network for
Dictyostelium spp. and,
469-505
- Methylenetetrahydrofolate
(MTHF)
blue-light photoreceptors
in higher plants and, 37
- Mg²⁺
visual transduction in
Drosophila spp. and, 250
- Mice
actin-microtubule
cooperation and, 63, 67,
69-70
actin-related proteins and,
343
ADF/cofilin family
proteins and, 188
neural crest formation and,
84, 87, 94-95
neural induction and,
422-23
vertebrate endoderm
development and, 393,
397, 399
- Microtubule-based motor
proteins
actin-based motor proteins
and
coordination of multiple
motors involved in
transport, 74-75
dilute mouse, 69-70
future research, 75-76
genetic studies in yeast,
72-74
introduction, 63, 65
kinesins, 66
melanocytes, 69-70
melanophores, 66-69
myosins, 64-66
neuronal transport,
70-72
organelle transport,
64-66
pigment transport, 66-70
- Microtubules

- actin-related proteins and, 341
cell polarity in yeast and, 365, 383
kinesin motor utilization and, 141-71
- Mitochondria
actin-microtubule cooperation and, 71-72
ADF/cofilin family proteins and, 216-17
caspase activation during apoptosis and, 269, 276-84
cell polarity in yeast and, 366
HIF-1 and O₂ homeostasis, 562
kinesin motor utilization and, 148-49, 156, 165, 169-70
lymphocyte cell death and, 124-26
[PSI⁺] factor and, 671
vacuolar import of proteins and organelles from cytoplasm, 5, 23
- Mitogen-activated protein kinase (MAPK)
regulation of nuclear localization and, 308-11
- Mitosis
kinesin motor utilization and, 141-71
regulation of nuclear localization and, 305-7, 328
- MKLP1 protein
kinesin motor utilization and, 159-60
- Moesin
ADF/cofilin family proteins and, 209
- Molecular chaperones
[PSI⁺] factor and, 678-80
- Molecular motors
kinesin motor utilization and, 141-71
- Molecular switches
flowering and, 519-44
regulation of nuclear localization and, 312-13
- Monomeric adaptors
clathrin-mediated traffic and, 706-8
- Monomerization
actin-related proteins and, 352
- Morphogenetic movements
signaling network for *Dictyostelium* spp. and, 469-505
vertebrate endoderm development and, 397-98
- Motor proteins
actin-microtubule cooperation and, 63-76
- Msn5 protein
regulation of nuclear localization and, 299-301
- Msx-1* gene
neural crest formation and, 84, 86, 89, 97, 101
neural induction and, 414, 417
- μ -chains
adaptors for clathrin-mediated traffic and, 712-13, 715-16
- Multimeric adaptors
clathrin-mediated traffic and, 708-18
- Multimerization
caspase activation during apoptosis and, 278
- Multipotent precursor cells
neural crest formation and, 81-104
- Multiubiquitin chain
SCF and Ring-H2/Cullin-based ubiquitin ligases, 435, 455-56
- Muscle cells
ADF/cofilin family proteins and, 187-88, 200, 208, 210, 214
- myo2* gene
actin-microtubule cooperation and, 73-74
kinesin motor utilization and, 162
- Myoblasts
ADF/cofilin family proteins and, 199
- MyoD* gene
actin-microtubule cooperation and, 63
- Myosins
actin-microtubule cooperation and, 63-76
ADF/cofilin family proteins and, 187, 214
cell polarity in yeast and, 383-84
kinesin motor utilization and, 166, 149
visual transduction in *Drosophila* spp. and, 232, 240-41, 252-54, 257-58
- N**
- Na²⁺
visual transduction in *Drosophila* spp. and, 238-41, 246, 248
- Nascent proteins
translocons and endoplasmic reticulum membrane, 821-23, 825-26, 831
- Natural killer (NK) cells
lymphocyte cell death and, 114, 117, 119
- ncd* gene
kinesin motor utilization and, 160, 164
- Negative feedback regulation
visual transduction in *Drosophila* spp. and, 251-54

- Neural crest cells
HIF-1 and O₂ homeostasis, 565
- Neural crest formation
molecular mechanisms of
BMPs, 86–88
diversification, 102–4
FGFs, 88–89
gene expression at neural plate border, 94–98
migration, 99–101
miscellaneous factors, 97–98
multiple signals, 91–93
multipotency, 102–3
neural crest fate, 98–104
neural induction, 82–85
Pax genes, 95–96
segregation of neural crest lineage, 98–99
Snail family, 94–95
specification of neural crest-forming regions at neural plate border, 86–93
Wnts, 89–91
Zic genes, 96–97
- Neural induction
ancillary regulation, 424–25
antagonists, 414–15
bone morphogenetic proteins, 413–16, 424–25
chicks, 421–22
competence of ectoderm, 416
concentration-dependent ectodermal patterning, 416–17
default model, 412–27
Drosophila, 419
epidermal inducers, 413
fibroblast growth factor, 425–26
functional assays, 420
future research, 427
genetics, 420, 422–24
inhibition, 414, 427
knockouts, 422–23
mammalian cell lines, 420–21
mesodermal patterning, 415
mice, 422–23
miscellaneous vertebrates, 419–24
Smad10 protein, 426
steps in neural development, 416–19
translational regulation in gastrula ectoderm, 425
Wnt protein, 427
Xolloid metalloprotease, 424
zebrafish, 423–24
- Neuregulin
neural crest formation and, 100
- Neurodegenerative disease
ADF/cofilin family proteins and, 216–17
- NeuroD* gene
vertebrate endoderm development and, 402
- Neuroendocrine cells
synaptic vesicle biogenesis and, 733–84
- Neurons
actin-microtubule cooperation and, 63, 65, 70–72
ADF/cofilin family proteins and, 185–86, 191, 199, 206, 208
caspase activation during apoptosis and, 278
cell polarity in yeast and, 365
kinesin motor utilization and, 143, 151, 154–59, 165
neural crest formation and, 81–104
neural induction and, 416
synaptic vesicle biogenesis and, 733–84
- Neurospora crassa*
actin-related proteins and, 347, 349
blue-light photoreceptors in higher plants and, 46
kinesin motor utilization and, 155, 166
SCF and
Ring-H2/Cullin-based ubiquitin ligases, 441
translocons and endoplasmic reticulum membrane, 820
- Neurotransmitter transporter sorting
synaptic vesicle biogenesis and, 766–68
- NF- κ B transcription factor
regulation of nuclear localization and, 311–12
- NF-AT transcription factor
regulation of nuclear localization and, 302–5
- nina* genes
visual transduction in *Drosophila* spp. and, 232, 236–37, 240–44, 252–53
- NINAC
visual transduction in *Drosophila* spp. and, 232, 240–41, 252–54, 257–58
- Nitrogen starvation
regulation of nuclear localization and, 313
vacuolar import of proteins and organelles from cytoplasm, 4, 6
- Nkx* genes
vertebrate endoderm development and, 402
- Nocodazole
actin-microtubule cooperation and, 72–73
- nodal* gene
vertebrate endoderm

- development and, 395
- nod* gene
 - kinesin motor utilization and, 164
- noggin* gene
 - neural crest formation and, 83–84, 87
 - neural induction and, 415, 417, 420–22
 - vertebrate endoderm development and, 399
- Non-methylotrophic yeast
 - vacuolar import of proteins and organelles from cytoplasm, 24–25
- Nonsense suppression
 - [PSI⁺] factor and, 663–64
- norpA* gene
 - visual transduction in *Drosophila* spp. and, 232, 235–37, 246, 251
- NPH* genes
 - blue-light photoreceptors in higher plants and, 33, 35, 41, 45–49
- NPLI* gene
 - blue-light photoreceptors in higher plants and, 48–49
- npq1* gene
 - blue-light photoreceptors in higher plants and, 50
- NPXY motif
 - adaptors for clathrin-mediated traffic and, 711–12
- N-terminal domains
 - actin-related proteins and, 343, 353
 - adaptors for clathrin-mediated traffic and, 708
 - ADF/cofilin family proteins and, 189–90, 192
 - blue-light photoreceptors in higher plants and, 36, 41, 46, 49
 - kinesin motor utilization and, 145
 - [PSI⁺] factor and, 666, 687–91
 - regulation of nuclear localization and, 302, 304, 308
 - SCF and Ring-H2/Cullin-based ubiquitin ligases, 443–44, 447, 457
 - switching to flowering and, 530
 - translocons and endoplasmic reticulum membrane, 805
 - vacuolar import of proteins and organelles from cytoplasm, 6, 8
 - visual transduction in *Drosophila* spp. and, 240–41, 249
- Nuclear export signal
 - switching to flowering and, 530
- Nuclear localization
 - ADF/cofilin family proteins and, 185, 190–91
 - HIF-1 and O₂ homeostasis, 560
 - regulation and
 - biological pathways, 328
 - cargo-receptor complex formation, 299–321
 - challenges, 328–29
 - change in steady-state localization of a protein, 297
 - conceptual issues, 329
 - cyclin B, 306–8
 - cytoplasmic anchoring, 322–26
 - future research, 328–29
 - glucocorticoid receptor, 317–20
 - introduction, 293–97
 - mechanisms, 298–328
 - mechanistic studies, 328–29
 - Mei2, 313
 - mitogen-activated protein kinase, 308–11
 - NF- κ B, 311–12
 - NF-AT, 302–5
 - nuclear pore complex, 327–28
 - nuclear translocation, 293–97
 - Period, 314–16
 - Pho4, 299–305
 - phosphorylation, 299
 - protein kinase A, 316–17
 - redundancy, 298
 - regulated localization, 298
 - regulated translocation, 297–328
 - shuttling vs nonshuttling proteins, 297–98
 - signal inactivation, 298
 - soluble transport machinery, 326–27
 - Swi5, 305–6
 - Timeless, 314–16
 - tRNA export, 320–21
 - yAPI, 321–22
- Nuclear magnetic resonance (NMR)
 - ADF/cofilin family proteins and, 191
- Nuclear pore complexes
 - nuclear transport and, 607, 609–11, 621
 - regulation of nuclear localization and, 298–300, 303, 319, 324, 327–28
- Nuclear transport
 - adaptor molecules, 612
 - assymetry in RanGTPase system, 615–16
 - assymetry in Ran nuclear import, 616–17
 - cargo loading, 611–12

- compartmentation, 608
CRM1-mediated nuclear export, 633-36
disassembly of transport receptor/RanGTP complexes, 614-15
diversity of nucleocytoplasmic transport pathways, 623-42
energetics, 617-22
future research, 642-43
hydrolysis of Ran-bound GTP and nucleotide exchange, 613
importin β -mediated nuclear import, 627-30
importin β -related nuclear transport receptors, 623-27
introduction, 608-9
mechanistic principles, 611
mRNA export, 637-42
need for nuclear transport, 608
nuclear pore complex passage of simple cargo-receptor complexes not directly coupled to NTP hydrolysis, 618-19
nuclear pore complexes, 609-11, 621-22
nuclear transport independent of importin β -related transport receptors, 636-37
nucleocytoplasmic RanGTP gradient as energy source for directional transport, 620-21
passive diffusion, 609-10
RanGTPase system, 611-16
Ran import mechanism, 616-17
ribosome export, 642
signal-mediated transport, 610-11
translocation through nuclear pore complex, 621-22
transport receptors, 613-15
tRNA export, 630-33
Nucleic acid mutagens [PSI⁺] factor and, 671-72
Nucleoside triphosphate (NTP) nuclear transport and, 618-19
Nucleus actin-related proteins and, 356-57
ADF/cofilin family proteins and, 209, 219
kinesin motor utilization and, 143, 148, 153, 163-64
lymphocyte cell death and, 115, 120
Null mutants ADF/cofilin family proteins and, 201
kinesin motor utilization and, 148-49, 151, 154, 156
visual transduction in *Drosophila* spp. and, 258
O
Oats blue-light photoreceptors in higher plants and, 45
Oligomerization caspase activation during apoptosis and, 274, 277
kinesin motor utilization and, 145-47
synaptic vesicle biogenesis and, 757-58
Oligopeptides viral interference and MHC class I, 579-601
Oligosaccharyltransferase translocons and endoplasmic reticulum membrane, 803, 805-7, 821, 830
Ommatidia visual transduction in *Drosophila* spp. and, 233-35, 242
Oncogenes HIF-1 and O₂ homeostasis, 568-69
Open reading frames (ORFs) [PSI⁺] factor and, 666-68
Opsins visual transduction in *Drosophila* spp. and, 240-42
Organelle transport actin-microtubule cooperation and, 63-76
kinesin motor utilization and, 141-71
vacuolar import from cytoplasm and, 1-28
Organ formation vertebrate endoderm development and, 393, 403-5
Organ identity genes switching to flowering and, 537-39
Organizer cell cluster neural induction and, 411
Oscillation regulation of nuclear localization and, 298, 314
signaling network for *Dictyostelium* spp. and, 471
Otx1 gene vertebrate endoderm development and, 396
Overexpression ADF/cofilin family proteins and, 213-16
Oxygen

- HIF-1 and O₂ homeostasis, 551-71
- P**
- P19 cells
neural induction and, 420-21
- pag* genes
vacuolar import of proteins and organelles from cytoplasm, 26
- Pancreas
vertebrate endoderm development and, 393, 399-400, 404-5
- Pancreatic beta cells
kinesin motor utilization and, 155
- Parahox cluster
vertebrate endoderm development and, 401
- pasl* gene
vacuolar import of proteins and organelles from cytoplasm, 24
- PAS domains
blue-light photoreceptors in higher plants and, 33, 47-48
- Passive diffusion
nuclear transport and, 609-10
- PAS transcription factor
HIF-1 and O₂ homeostasis, 551-71
- pavarotti* gene
kinesin motor utilization and, 159
- Pax* genes
neural crest formation and, 82, 89, 91, 95-96
vertebrate endoderm development and, 402
- PC12 cells
synaptic vesicle biogenesis and, 733-84
- pdd* genes
vacuolar import of proteins and organelles from cytoplasm, 25
- Pdx1* gene
vertebrate endoderm development and, 400, 402
- PDZ-containing scaffold protein
visual transduction in *Drosophila* spp. and, 231
- PDZ domains
visual transduction in *Drosophila* spp. and, 254-57, 259
- Pea
blue-light photoreceptors in higher plants and, 40, 44, 46
switching to flowering and, 544
- pef* genes
switching to flowering and, 528
- Period protein
regulation of nuclear localization and, 314-16, 329
- Peripheral nervous system (PNS)
neural crest formation and, 81
- Permeability barrier
translocons and endoplasmic reticulum membrane, 799, 810, 821-24
- Permeability transition pore
caspase activation during apoptosis and, 279-80
- Peroxisomes
degradation
vacuolar import of proteins and organelles from cytoplasm, 18-26, 28
kinesin motor utilization and, 147
- PEST degradation signal
visual transduction in *Drosophila* spp. and, 240-41
- pex* genes
vacuolar import of proteins and organelles from cytoplasm, 24, 27
- Pexophagy
vacuolar import of proteins and organelles from cytoplasm, 19-25
- PFK1* gene
vacuolar import of proteins and organelles from cytoplasm, 25
- PGK1* gene
HIF-1 and O₂ homeostasis, 564
- PGM1* gene
switching to flowering and, 541
- pH
ADF/cofilin family proteins and, 185, 188, 194, 197-98, 200-1, 218
- Phase transition
cell polarity in yeast and, 380
switching to flowering and, 519, 522-25
- Phagocytosis
ADF/cofilin family proteins and, 185, 212, 219
- Phalloidin
ADF/cofilin family proteins and, 185, 193
- PH domains
ADF/cofilin family proteins and, 205
- Phenylalanine
ADF/cofilin family proteins and, 193
- Phenyl-methyl-sulfonyl fluoride (PMSF)
vacuolar import of proteins

- and organelles from
cytoplasm, 22
- Pho4 transcription factor
regulation of nuclear
localization and,
299–302, 322
- PHO5 gene
regulation of nuclear
localization and, 301–2
- Phosphatases
ADF/cofilin family
proteins and, 206–7
- Phosphate-binding proteins
ADF/cofilin family
proteins and, 185
- Phosphatidylinositol
ADF/cofilin family
proteins and, 185, 192,
202, 205, 219
- Phosphatidylinositol-4,5-
biphosphate
visual transduction in
Drosophila spp. and, 232,
239, 247
- Phospholipase C (PLC)
visual transduction in
Drosophila spp. and, 232,
238–39, 246–48, 256
- Phospholipids
translocons and
endoplasmic reticulum
membrane, 829–30
- Phosphorylation
actin-microtubule
cooperation and, 74
ADF/cofilin family
proteins and, 185,
189–91, 202–9, 211, 219
blue-light photoreceptors
in higher plants and, 33,
44–45, 49, 51
lymphocyte cell death and,
122–23
regulation of nuclear
localization and, 292–329
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 443,
451, 454
synaptic vesicle biogenesis
and, 783–84
visual transduction in
Drosophila spp. and, 244
- Photoperiod promotion
pathway
switching to flowering and,
526, 529, 534–36, 540,
542
- Photoreceptors
blue-light
higher plants and, 33–53
kinesin motor utilization
and, 157
- Phototransduction
Drosophila spp. and,
231–59
- Phototropin
blue-light photoreceptors
in higher plants and, 33,
44–49
- Phototropism pathway
blue-light photoreceptors
in higher plants and, 33,
37, 45, 50–51
- PHR1 gene
blue-light photoreceptors
in higher plants and, 36
- phy genes
blue-light photoreceptors
in higher plants and, 43,
48–51
switching to flowering and,
528, 534–35
- Phytochrome
switching to flowering and,
524
- Pichia pastoris*
vacuolar import of proteins
and organelles from
cytoplasm, 19–23, 25–26
- PI gene
switching to flowering and,
537
- Pigment transport
actin-microtubule
cooperation and, 63,
65–69, 75–76
neural crest formation and,
81
- PKI protein kinase inhibitor
regulation of nuclear
localization and, 317
- Plants
ADF/cofilin family
proteins and, 199, 203–4,
215–16
blue-light photoreceptors
in higher plants and,
33–53
- Plasma membrane
kinesin motor utilization
and, 156
regulation of nuclear
localization and, 322
synaptic vesicle biogenesis
and, 733–84
- Pleiotropy
neural induction and, 425
- PNM2 gene
[PSI⁺] factor and, 687–91
- Podocytes
kinesin motor utilization
and, 149, 160
- Pointed ends
ADF/cofilin family
proteins and, 194,
196–97, 199–200
- Point mutations
ADF/cofilin family
proteins and, 198
- Polarity
cell
yeast and, 365–85
structural
kinesin motor utilization
and, 143–44, 148–49
- Polarized transport
actin-microtubule
cooperation and, 65, 68,
72–73
- Polymerization

- kinesin motor utilization
and, 147, 167
- Polymorphisms
viral interference and MHC
class I, 583–84
- Polyploidy
kinesin motor utilization
and, 159
- Pore-loop
visual transduction in
Drosophila spp. and,
240–41
- Postnatal life
HIF-1 and O₂ homeostasis,
551–71
- Posttranscriptional regulation
lymphocyte cell death and,
113
- Posttranslational modification
ADF/cofilin family
proteins and, 189
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 448–51
translocons and
endoplasmic reticulum
membrane, 811–12
- Potato
switching to flowering and,
544
- Primitive streak
neural induction and, 421
vertebrate endoderm
development and, 394–96
- Primordia
switching to flowering and,
524–25
- Prion hypothesis
yeast
[PSI⁺] and, 661–96
- Procaspase-9
caspase activation during
apoptosis and, 269, 277,
279
- Profilin
actin-related proteins and,
351, 354–55
- ADF/cofilin family
proteins and, 196
- Proline
ADF/cofilin family
proteins and, 189, 202,
205
cell polarity in yeast and,
381
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 447
visual transduction in
Drosophila spp. and,
240–41
- Prolonged depolarization
afterpotential (PDA)
visual transduction in
Drosophila spp. and,
235–36
- Prometaphase
ADF/cofilin family
proteins and, 211
- Promoters
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 456
switching to flowering and,
529–42
- β -Propellor domain
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 454
- Prophase
ADF/cofilin family
proteins and, 211
kinesin motor utilization
and, 158
- 26S Proteasome
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 435, 450
- Proteinase B
vacuolar import of proteins
and organelles from
cytoplasm, 5
- Protein conformation-based
inheritance
[PSI⁺] factor and, 661–96
- Protein degradation
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 435–61
vacuolar import of proteins
and organelles from
cytoplasm, 1, 18–28
- Protein integration
translocons and
endoplasmic reticulum
membrane, 799–832
- Protein kinase A (PKA)
regulation of nuclear
localization and, 316–17
signaling network for
Dictyostelium spp. and,
469, 489–91, 495–97, 499
- Protein kinase C (PKC)
lymphocyte cell death and,
122
visual transduction in
Drosophila spp. and, 232,
237, 240–41, 252, 257
- Proteins
actin-related proteins,
341–58
ADF/cofilin family
proteins, 185–219
blue-light photoreceptors
in higher plants and,
36–37, 41
kinesin motor utilization
and, 156–58
microtubule- and
actin-based proteins,
63–76
vacuolar import from
cytoplasm and, 1–28
- Protein sorting
adaptors for
clathrin-mediated traffic
and, 705–24
- Protein stability domains
HIF-1 and O₂ homeostasis,
559–60
- Pseudotetraploidy

- ADF/cofilin family proteins and, 211
[PSI⁺] factor
epigenetic modulation of translation termination and
agents effective in eliminating [PSI⁺], 672–74
biochemical support for [PSI⁺] as yeast prion, 680–83
biological role, 694–95
cytoplasmic transmission, 670–71
discovery of [PSI⁺], 664–70
fungal prions, 695
future research, 695–96
gene product, 674
Hsp104, 678–80, 686
introduction, 662–63
in vitro [psi^{-/-}]
dominant over [PSI⁺], 669–70
in vitro seeding, 684
mechanistic questions, 685–87
molecular chaperones, 678–80
non-Mendelian regulation of [PSI⁺] induction, 692–93
nonsense suppression, 663–64
nucleic acid mutagens, 671–72
phenotype, 682–83
[PSI⁺] determinant, 670–74
[PSI⁺]-no-more-mutations in N region of Sup35p, 687–91
[PSI⁺] variants, 693–94
self-assembly, 683–87
SUP35p, 674–78, 683–92
SUP45p, 691–92
translational ambiguity, 667–70
- Pterins
blue-light photoreceptors in higher plants and, 37, 52
- Puromycin
translocons and endoplasmic reticulum membrane, 820
- Q**
Quantitative trait loci switching to flowering and, 525, 528
- R**
Rabbits
ADF/cofilin family proteins and, 195
Rabkinesin-6
kinesin motor utilization and, 154, 165, 169
RanGTPase system
nuclear transport and, 607, 611–17
Rapamycin
vacuolar import of proteins and organelles from cytoplasm, 18
Rapeseed
ADF/cofilin family proteins and, 188
rax1 gene
cell polarity in yeast and, 375
rbcS gene
blue-light photoreceptors in higher plants and, 39
rdg genes
visual transduction in *Drosophila* spp. and, 232, 237, 244–47, 251
Receptors
actin-microtubule cooperation and, 72
blue-light photoreceptors in higher plants, 33–53
caspase activation during apoptosis and, 269, 271, 274–77
kinesin motor utilization and, 157, 170
lymphocyte cell death and, 114–15, 126–27
neural induction and, 411, 422–23, 425–26
nuclear transport and, 607, 613–15, 618–19, 623–27, 636–37
regulation of nuclear localization and, 299–322
SCF and
Ring-H2/Cullin-based ubiquitin ligases, 450–51
signaling network for *Dictyostelium* spp. and, 469, 471
translocons and endoplasmic reticulum membrane, 803, 807–10, 812–13, 828–29
tumor necrosis factor lymphocyte cell death and, 113, 116–20
visual transduction in *Drosophila* spp. and, 245, 247
Recycling pathways
synaptic vesicle biogenesis and, 733, 747–51
Redundancy
kinesin motor utilization and, 141, 163–65
regulation of nuclear localization and, 298
Reed/Sternberg cells
lymphocyte cell death and, 126
Regulation
adaptors for clathrin-mediated traffic and, 718–20

- ADF/cofilin family
 proteins and, 185–219
 caspase activation during
 apoptosis and, 269–84
 cell polarity in yeast and,
 374–77
 HIF-1 and O₂ homeostasis,
 560–64
 kinesin motor utilization
 and, 150, 170
 neural induction and,
 424–25
 nuclear localization and,
 291–329
 nuclear transport and,
 611–12
 [PSI⁺] factor and, 692–93
 signaling network for
 Dictyostelium spp. and,
 469–505
 switching to flowering and,
 519, 525–37
 vertebrate endoderm
 development and, 395–96
 visual transduction in
 Drosophila spp. and,
 251–52
 Reproductive phase change
 switching to flowering and,
 519, 522–23
 Respiratory tract
 vertebrate endoderm
 development and, 393,
 403–4
 Response regulators
 signaling network for
 Dictyostelium spp. and,
 469–505
 Retina
 visual transduction in
 Drosophila spp. and,
 233–35, 240, 248, 250,
 252–54
 Retrotranslocation
 translocons and
 endoplasmic reticulum
 membrane, 823–24
 Rga genes
 cell polarity in yeast and,
 378
 Rhabdomeres
 visual transduction in
 Drosophila spp. and,
 233–35, 247, 252–55
 Rhodopsins
 visual transduction in
 Drosophila spp. and, 232,
 236–43, 251, 257
 Rho family
 neural crest formation and,
 101
 Rho GTPases
 cell polarity in yeast and,
 380
 Rhombomeres
 neural crest formation and,
 89–90
 Ribonucleoproteins (RNPs)
 cell polarity in yeast and,
 367
 kinesin motor utilization
 and, 147
 regulation of nuclear
 localization and, 313,
 328
 Ribosomal RNA (rRNA)
 [PSI⁺] factor and, 671
 Ribosomes
 nuclear transport and, 607,
 642
 translocons and
 endoplasmic reticulum
 membrane, 799–832
 Rice
 switching to flowering and,
 544
 RING finger motifs
 cell polarity in yeast and,
 377
 vacuolar import of proteins
 and organelles from
 cytoplasm, 17
 Ring-H2/Cullin-based
 ubiquitin ligase
 SCF ubiquitin ligase and,
 435–61
 Rings
 septin
 cell polarity in yeast and,
 370
 RNA-binding domains
 switching to flowering and,
 530
 RNA export
 nuclear transport and,
 607–43
 RNP motifs
 switching to flowering and,
 530
 ROS signaling intermediate
 lymphocyte cell death and,
 125
 Rub1 protein
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 449–50
 Ruffling
 membrane
 ADF/cofilin family
 proteins and, 204–5,
 208–9, 219
 Rye
 ADF/cofilin family
 proteins and, 188, 199

 S
Saccharomyces cerevisiae
 actin-microtubule
 cooperation and, 72–74
 actin-related proteins and,
 343–45, 347, 349, 351,
 356–57
 ADF/cofilin family
 proteins and, 210, 218
 kinesin motor utilization
 and, 154, 161–64, 166
 [PSI⁺] factor
 epigenetic modulation of
 translation termination
 efficiency and, 661–96
 SCF and

- Ring-H2/Cullin-based ubiquitin ligases, 436, 440–42, 452–53
vacuolar import of proteins and organelles from cytoplasm, 4, 24–26
- sal* genes
[PSI+] factor and, 670
- Scaffold proteins
adaptors for clathrin-mediated traffic and, 705–24
visual transduction in *Drosophila* spp. and, 231
- Scarl protein
actin-related proteins and, 353–54
- SCF ubiquitin ligase
Ring-H2/Cullin-based ubiquitin ligase and, 435–61
- Schizosaccharomyces pombe*
actin-related proteins and, 342, 344–45, 355–56
ADF/cofilin family proteins and, 188
[PSI+] factor and, 666–67
SCF and
Ring-H2/Cullin-based ubiquitin ligases, 440–41, 448, 452–53
- Sea urchin
actin-microtubule cooperation and, 71
- Sec61 protein
translocons and endoplasmic reticulum membrane, 799, 802, 805–7, 810–12, 818–19, 824, 828–30
- Secretory proteins
adaptors for clathrin-mediated traffic and, 705–24
cell polarity and, 382–84
kinesin motor utilization and, 153
- translocons and endoplasmic reticulum membrane, 799–832
viral interference and MHC class I, 591–94
- Seeding
in vitro [PSI+] factor and, 684
- Segregation
neural crest formation and, 98–99
- Septin
cell polarity in yeast and, 370
- Sequestration
vacuolar import of proteins and organelles from cytoplasm, 1, 19–25
- Serine
ADF/cofilin family proteins and, 185, 189–90
regulation of nuclear localization and, 307, 311
SCF and
Ring-H2/Cullin-based ubiquitin ligases, 454
switching to flowering and, 530
translocons and endoplasmic reticulum membrane, 821
- Serpentine receptors
signaling network for *Dictyostelium* spp. and, 469
- seven-up* gene
visual transduction in *Drosophila* spp. and, 242
- SEX1* gene
switching to flowering and, 541
- SH2 domains
ADF/cofilin family proteins and, 205
regulation of nuclear localization and, 301
- SH3 domains
ADF/cofilin family proteins and, 205, 219
- SH3p4 protein
synaptic vesicle biogenesis and, 733, 781–83
- Sheep
HIF-1 and O₂ homeostasis, 567
- β -Sheets
ADF/cofilin family proteins and, 190–91, 197
- shh* gene
vertebrate endoderm development and, 400–1, 404
- shibire* gene
synaptic vesicle biogenesis and, 749–50, 776–77
- Shoot apical meristem
switching to flowering and, 520–26, 531
- Short days
switching to flowering and, 524, 526, 535–36, 540–41
- Shuttling
regulation of nuclear localization and, 297–98, 308, 322, 329
visual transduction in *Drosophila* spp. and, 245
- Signal-mediated transport
nuclear transport and, 610–11
- Signal peptidase
translocons and endoplasmic reticulum membrane, 803, 805, 807, 828–29
- Signal recognition particle (SRP) receptor
translocons and endoplasmic reticulum membrane, 803, 807–10, 812–13, 828–29, 832
- Signal transduction
ADF/cofilin family proteins and, 202–7, 209

- blue-light photoreceptors
in higher plants and,
37–39, 48, 52–53
cell polarity in yeast and,
376
Dictyostelium spp.
differentiation and,
469–505
HIF-1 and O₂ homeostasis,
562–63
kinesin motor utilization
and, 147, 150, 162
lymphocyte cell death and,
113, 115, 119–25
neural crest formation and,
84, 91–93
neural induction and, 411,
413, 415, 427
regulation of nuclear
localization and, 298, 311
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 451, 459
switching to flowering and,
524
vertebrate endoderm
development and, 393,
395, 399–401
visual transduction in
Drosophila spp. and,
231–59
Signalplex
visual transduction in
Drosophila spp. and,
231–32, 254–58
Silencer of death domains
(SODD) protein
caspase activation during
apoptosis and, 276
Sinapis alba
blue-light photoreceptors
in higher plants and, 41
Skeletal muscle
ADF/cofilin family
proteins and, 187
Skp1 protein
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 435,
444–45, 449
Sliding
microtubule
kinesin motor utilization
and, 147–48, 150,
158–60
Slug gene
neural crest formation and,
82, 88, 90, 94–95, 98
Smad-1 gene
neural crest formation and,
97
Smad proteins
neural induction and, 404,
413, 417, 423, 426
Smooth endoplasmic
reticulum
actin-microtubule
cooperation and, 72
visual transduction in
Drosophila spp. and, 247
Smooth muscle
neural crest formation and,
81
SMY1 gene
actin-microtubule
cooperation and, 63,
73–75
kinesin motor utilization
and, 162
Snail gene
neural crest formation and,
82, 94–95, 98
SNARE proteins
vacuolar import of proteins
and organelles from
cytoplasm, 17
SOCS boxes
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 446,
457, 459–60
sog gene
neural induction and, 419,
424
Soluble proteins
kinesin motor utilization
and, 156–58
Soluble transport machinery
regulation of nuclear
localization and, 326–27
Sorting signals
adaptors for
clathrin-mediated traffic
and, 711–18
synaptic vesicle biogenesis
and, 761–68
Sox factor
neural induction and, 417,
426
Spatial factors
switching to flowering and,
543
Spatial patterning
signaling network for
Dictyostelium spp. and,
469–505
Spectrin
ADF/cofilin family
proteins and, 200
speedy gene
switching to flowering and,
528
Spinach
blue-light photoreceptors
in higher plants and, 46
switching to flowering and,
544
Spindles
kinesin motor utilization
and, 143–44, 148–49,
152, 158–60, 164, 169
SPL3 gene
switching to flowering and,
539
Splotch gene
neural crest formation and,
96
Spore cells
signaling network for
Dictyostelium spp. and,
469–505

- Spore differentiation factors
 signaling network for
 Dictyostelium spp. and,
 500–2
- spy gene
 switching to flowering and,
 534
- SSR protein
 translocons and
 endoplasmic reticulum
 membrane, 828
- Stabilization
 visual transduction in
 Drosophila spp. and,
 243–44
- Stalk
 actin-microtubule
 cooperation and, 66
 kinesin motor utilization
 and, 146, 169
 signaling network for
 Dictyostelium spp. and,
 469–505
- Starvation
 ADF/cofilin family
 proteins and, 205
 regulation of nuclear
 localization and, 313
 vacuolar import of proteins
 and organelles from
 cytoplasm, 3–4, 6–8, 10,
 12–13, 16–17, 19, 27
- STAT transcription factors
 regulation of nuclear
 localization and, 311, 329
 signaling network for
 Dictyostelium spp. and,
 469, 503–5
- ste20 gene
 cell polarity in yeast and,
 379
- STE sequences
 translocons and
 endoplasmic reticulum
 membrane, 817
- Stomach
 vertebrate endoderm
 development and, 404–5
- Stomatal opening
 blue-light photoreceptors
 in higher plants and, 33,
 49–50
- Store-operated Ca^{2+} entry
 (SOCE)
 visual transduction in
 Drosophila spp. and,
 247
- Structure-function
 relationships
 HIF-1 and O_2 homeostasis,
 556–60
- SUF genes
 [PSI+] factor and, 668–69
- Sugarbeet
 switching to flowering and,
 544
- SUMO-1 protein
 SCF and
 Ring-H2/Cullin-based
 ubiquitin ligases, 450
- Sup35p protein
 [PSI+] factor and, 661,
 674–78, 683–92
- SUP45p protein
 [PSI+] factor and, 691–92
- Superfamilies
 actin-related proteins and,
 341–58
 kinesin
 conserved motor domain
 and, 141–71
 motor
 actin-microtubule
 cooperation and, 63–76
 TNF receptor
 lymphocyte cell death
 and, 113, 116–20
- SUP gene
 [PSI+] factor and, 668–70
 switching to flowering and,
 529, 537
- Supramolecular signaling
 complex
 visual transduction in
 Drosophila spp. and,
 231–32, 254
- SUQ5 gene
 [PSI+] factor and, 664–67
- Survival
 lymphocyte
 cell death and, 113–28
- Swi5 transcription factor
 regulation of nuclear
 localization and, 305–6
- swirl gene
 neural induction and, 423
- Synaptic vesicles
 actin-microtubule
 cooperation and, 71–72
 biogenesis
 actin, 779–80
 actin-binding proteins,
 779–80
 adaptors, 770–75
 amphiphysin, 778–79
 AP2 adaptor complex,
 771–73
 AP3 adaptor complex,
 774–75
 AP180 adaptor complex,
 774
 cell-free systems,
 768–70
 classes of neurosecretory
 vesicles, 734–35
 clathrin, 770–75
 compartments, 736–52
 cytosolic machinery,
 768–84
 definitions, 736
 dephosphorylation,
 783–84
 donor membranes,
 739–51
 dynamin, 775–78
 dynamin-interacting
 proteins, 775–78
 early endosomes,
 739–40
 endocytosis, 761–62
 EPS15, 774

- epsin, 774
GTP-binding proteins, 775-79
hetero-oligomeric complexes, 757-58
homo-oligomeric complexes, 757
immature neurons, 751-52
introduction, 734-36
lipid composition, 759-61
lipid-modifying enzymes, 780-83
liposomes, 770
mature neurons, 744-47
molecular dissection of protein machinery, 770
neuroendocrine cells, 768-69
neurotransmitter transporter sorting, 766-68
PC12 cells, 768-69
phosphorylation, 783-84
plasma membrane, 740-42
protein composition, 753-56
protein-lipid interactions, 760-61
protein-protein interactions, 756-59
recycling pathways, 747-51
SH3p4, 781-83
sorting and assembly of synaptic vesicle membrane constituents, 752-68
sorting signals, 761-68
synaptic-like microvesicles, 733, 735-52
synaptic vesicle formation at synapse, 747-51
synaptic vesicle targeting signals vs exclusion signals, 762-65
synaptobrevin-synaptophysin pump, 758-59
synaptojanin, 780-81
synaptosomes, 769
trafficking, 736-52
transport of newly synthesized synaptic vesicle membrane proteins to synapse, 744-47
uniform composition, 753-54
variable composition, 754-56
precursors
 kinesin motor utilization and, 147, 149, 151-52, 154, 169
Synaptobrevin-synaptophysin pump
 synaptic vesicle biogenesis and, 758-59
Synaptojanin
 ADF/cofilin family proteins and, 202-3, 206
 synaptic vesicle biogenesis and, 780-81
Synaptosomes
 synaptic vesicle biogenesis and, 769
T
TAP protein
 viral interference and MHC class I, 588-91
Targeting signals
 synaptic vesicle biogenesis and, 762-65
T cells
 ADF/cofilin family proteins and, 205-6, 213
 lymphocyte cell death and, 114-15, 117-19, 124, 127
 viral interference and MHC class I, 580-601
Telophase
 kinesin motor utilization and, 159
Temperature
 switching to flowering and, 525
Temporal factors
 switching to flowering and, 543
 viral interference and MHC class I, 599-600
Terminal differentiation
 signaling network for *Dictyostelium* spp. and, 469, 494-505
Termination
 [PSI⁺] factor and, 661-96
 visual transduction in *Drosophila* spp. and, 251-52
Tethers
 cytoplasmic
 regulation of nuclear localization and, 322
 regulated
 kinesin motor utilization and, 150, 163
 SCF and
 Ring-H2/Cullin-based ubiquitin ligases, 446
Tetrahymena thermophila
 regulation of nuclear localization and, 327
Tetramerization
 kinesin motor utilization and, 150
tfl genes
 switching to flowering and, 524, 528, 531, 536-37, 539-40
Thermomyces spp.
 kinesin motor utilization and, 166
Threonine

- regulation of nuclear localization and, 309
translocons and endoplasmic reticulum membrane, 821
Timeless protein
 regulation of nuclear localization and, 314–16, 329
Tobacco
 blue-light photoreceptors in higher plants and, 41
TOC1 gene
 switching to flowering and, 535
tollloid gene
 neural induction and, 424
Toxoplasma gondii
 ADF/cofilin family proteins and, 188–89, 209
Tradescantia spp.
 ADF/cofilin family proteins and, 215–16
Trafficking
 adaptors for clathrin-mediated traffic and, 705–24
 synaptic vesicle biogenesis and, 733, 736–52
 viral interference and MHC class I, 579–601
TRAM protein
 translocons and endoplasmic reticulum membrane, 802–30
Transactivation
 HIF-1 and O₂ homeostasis, 554–56, 558–59
Transcriptional regulation
 lymphocyte cell death and, 113
 signaling network for Dictyostelium spp. and, 502–3
Transcription factors
 HIF-1 and O₂ homeostasis, 551–71
 neural crest formation and, 81, 86, 94–95, 101
 neural induction and, 416
 regulation of nuclear localization and, 292–329
 SCF and Ring-H2/Cullin-based ubiquitin ligases, 459
 signaling network for Dictyostelium spp. and, 469–70, 477–505
 switching to flowering and, 538
 vertebrate endoderm development and, 399, 401–4
Transducin
 visual transduction in Drosophila spp. and, 238–39
Transduction
 visual
 Drosophila spp. and, 231–59
Transfer DNA (tDNA)
 tagging
 switching to flowering and, 524, 537
Transfer RNA (tRNA)
 nuclear transport and, 607, 630–33
 [PSI⁺] factor and, 663–68
 regulation of nuclear localization and, 298, 320–21
 translocons and endoplasmic reticulum membrane, 809, 820, 827
Transforming growth factor β (TGF- β)
 neural induction and, 412–13, 420, 423, 426
 vertebrate endoderm development and, 395, 404–5
Transgenes
 lymphocyte cell death and, 127
 switching to flowering and, 534
 visual transduction in Drosophila spp. and, 252
trans-Golgi network
 adaptors for clathrin-mediated traffic and, 705–24
Transient receptor potential (TRP)
 visual transduction in Drosophila spp. and, 235–38, 248–51, 254–58
Transient receptor potential-like (TRPL)
 visual transduction in Drosophila spp. and, 237–38, 248–51, 254, 257–58
Translational regulation
 neural induction and, 425
Translocation
 kinesin motor utilization and, 141
 nuclear transport and, 621–22
 regulation of nuclear localization and, 293–98
 termination efficiency
 epigenetic modulation and, 661–96
Translocons
 endoplasmic reticulum membrane and aqueous pore, 808–11, 830–31
 assembly, 811–12
 composition of translocon, 801–3
 conversion of translocon operational mode from translocation to integration, 826
 coordination between translocon and

- ribosome, 826–27
cotranslational integration, 816
cotranslational translocation, 814–16
functional modes, 812–16
future research, 831–32
introduction, 800–1
lateral movement and insertion of transmembrane sequence, 818–21
nascent chain accessibility to cytoplasm and ER lumen, 825–26
nascent chain processing and folding, 821–23
nascent secretory proteins other than apoB exposed to cytosol, 831
orientation of transmembrane sequences before their insertion into bilayer, 830
permeability barrier, 810, 821–24
phospholipids, 829–30
posttranslational modification, 811–12
protein stoichiometry and arrangement, 805–8
regulation and dynamics of translocon structure and function, 824–27
retrotranslocation, 823–24
signal sequence destination after leaving SRP, 828–29
structure of translocon, 801–11
targeting, 812–14
translocon-associated proteins, 803–5, 829–30
translocon conversion from functional to nonfunctional, 825
transmembrane sequence, 816–18, 829–30
turnover, 811–12
unresolved issues, 827–31
Transmembrane domains visual transduction in *Drosophila* spp. and, 240–41
Transmembrane sequence translocons and endoplasmic reticulum membrane, 816–21
Transplantation viral interference and MHC class I, 579
Transport actin-microtubule cooperation and, 63–76
between cell nucleus and cytoplasm, 607–43
HIF-1 and O₂ homeostasis, 551, 555
vacuolar import of proteins and organelles from cytoplasm, 1
Treadmilling cell polarity in yeast and, 383
Tropomyosins ADF/cofilin family proteins and, 185–86, 200, 214, 219
Tryptophan blue-light photoreceptors in higher plants and, 41
Tubulins neural crest formation and, 97
Tumor necrosis factor (TNF) receptor superfamily lymphocyte cell death and, 113, 116–20
Tumor progression HIF-1 and O₂ homeostasis, 551–71
Twinstar ADF/cofilin family proteins and, 188, 204, 211
Tyrosine ADF/cofilin family proteins and, 193, 205–6
regulation of nuclear localization and, 309

U
U937 cells ADF/cofilin family proteins and, 212
Ubiquitin ligases SCF and Ring-H2/Cullin-based architecture of SCF complexes and SCF pathway components, 439–45
Cdc4, 447–48
Cdc34, 451, 455–56
Cdc53, 445
Cdc53/cullin, 449–50
diversification of SCF function, 445–59
F boxes, 446–48, 450–51, 457–59
Hrt1 protein, 446, 450
identification of SCF ubiquitin ligase activity, 437–39
introduction, 436
mechanism of action of SCF, 454–56
multiubiquitin chain promotion, 456
perspectives, 459–61
posttranslational control of SCF pathway components, 448–51
Skl protein, 444–45, 449

- SOCS boxes, 457, 459
substrates of SCF
pathway, 451–56
subunits of SCF, 439
yCdc34, 448
- ufo* genes
switching to flowering and,
537–38
- unc* genes
ADF/cofilin family
proteins and, 188, 198,
210
kinesin motor utilization
and, 151, 169
- V**
- Vacuolar import
of proteins and organelles
from cytoplasm
aminopeptidase I, 8–13
APG genes, 13–17
apg gene screening by
starvation, 7–8
Apg pathway, 4–18
AUT genes, 13–17
autophagy, 4–18
biochemistry, 6–8,
10–13
Candida bodinii,
23–24
conversion between
pathways, 17–18
CVT genes, 13–17
CVT pathway, 8–18
fructose-1,6-
biphosphatase,
26–27
future research, 27–28
genetic screening, 7–8,
25–26
glucose-induced
selective autophagy
genes, 25–26
Hansenula polymorpha,
23–25
introduction, 2–3
kinetics, 10
- macroautophagy, 3–8
macropexophagy, 23–24
morphological analysis,
4–6, 10–13, 19–25
non-methylotrophic
yeast, 24–25
peroxisomal
degradation, 18–26
peroxisomal
degradation-deficient
genes, 25
peroxisomal
sequestration, 19–25
pexophagy, 19–25
Pichia pastoris, 19–23,
25–26
regulation of pathways,
17–18
*Saccharomyces
cerevisiae*, 24–25
vesicle-mediated
pathway for API import,
10–13
- Vascular development
HIF-1 and O₂ homeostasis,
551–71
- Vascular endothelial growth
factor (VEGF)
HIF-1 and O₂ homeostasis,
551, 555, 564–69
- Vegetative phase change
switching to flowering and,
519, 522–23
- Vent* genes
neural induction and, 414,
417
- Vernalization promotion
pathway
switching to flowering and,
532–33
- Vertebrates
ADF/cofilin family
proteins and, 185–219
endoderm development
and, 393–405
kinesin motor utilization
and, 149
- lymphocyte cell death and,
113–14
neural crest formation and,
81–104
neural induction and,
411–27
viral interference and MHC
class I, 579–601
visual transduction in
Drosophila spp. and, 231
- Vesicle transport
adaptors for
clathrin-mediated traffic
and, 705–24
kinesin motor utilization
and, 169
vacuolar import of proteins
and organelles from
cytoplasm, 10–13
- VHL tumor suppressor
protein
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 457,
459–60
- Vid pathway
vacuolar import of proteins
and organelles from
cytoplasm, 28
- Villin
ADF/cofilin family
proteins and, 192–93
- Vimentin
kinesin motor utilization
and, 148, 158, 169
- Viral interference
MHC class I and
absence of strategies,
600–1
antigen processing,
580–601
avoiding TCD₈⁺
surveillance, 583–601
binding to cell surface
class I molecules, 599
blocking peptide
generation, 587–88

- blocking TAP-mediated peptide transport into endoplasmic reticulum, 588-91
class I-peptide complex generation, 580-83
determinant-specific blockade, 583-84
diverting class I molecules to lysosomes, 597
future research, 601
Herpesviridae, 588-91
immune surveillance, 580
immunodominance, 583
internalization of cell surface class I molecules, 597-99
introduction, 580
MHC polymorphism, 583-84
multigenic effects, 599-600
retaining class I molecules in secretory pathway, 591-94
shipping class I molecules to cytosol, 594-97
T_{CD8+}, 580-601
temporal control, 599-600
vertebrates, 580
- Viral proteins
caspase activation during apoptosis and, 269
regulation of nuclear localization and, 326
- Visual transduction
Drosophila spp. and
Ca²⁺/calmodulin-dependent adaptation and termination of photoresponse, 251-52
Ca²⁺-dependent
negative feedback regulation, 251-54
compound eye structure, 233-35
downstream effectors, 245-46
genetics, 233-37
Gq, 245-46
heteromultimeric channels, 249-50
inositol phospholipid signaling system, 246
introduction, 232
light-dependent cation influx, 246-50
metarhodopsin stabilization and deactivation, 243-45
NINAC as major retinal target for
Ca²⁺/calmodulin, 253-54
perspectives, 258-59
phospholipase C activation, 246-48
phototransduction, 237-39, 246, 254-56
rhodopsins, 239, 241-43
signalplex, 254-58
TRP, 248-50
TRPL, 248-50
- VP16 gene
switching to flowering and, 538
- VPS genes
vacuolar import of proteins and organelles from cytoplasm, 10, 18
- vrn genes
switching to flowering and, 532-33
- W
WASP-related protein
cell polarity in yeast and, 379-80, 382
WD-40 domains
SCF and
Ring-H2/Cullin-based ubiquitin ligases, 447, 454
- Western blot analysis
vacuolar import of proteins and organelles from cytoplasm, 15
- Wheat
ADF/cofilin family proteins and, 188, 199
switching to flowering and, 544
- Williams syndrome
ADF/cofilin family proteins and, 217
- WLC gene
switching to flowering and, 528
- Wnt growth factors
neural crest formation and, 81, 86, 89-93, 95, 104
neural induction and, 427
- Wortmannin
ADF/cofilin family proteins and, 207
vacuolar import of proteins and organelles from cytoplasm, 23
- X
XBF-1 transcription factor
neural induction and, 416
- Xenopus laevis*
actin-microtubule cooperation and, 68-69, 71, 75
actin-related proteins and, 355
ADF/cofilin family proteins and, 188, 201, 205, 207-8, 211-12, 214-16
kinesin motor utilization and, 151-52, 154, 159, 161
neural crest formation and, 81-98

- neural induction and, 411,
416–17, 419, 421–25,
427
[PSI⁺] factor and, 666–67
regulation of nuclear
localization and, 307,
310, 320, 323
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 439,
442, 453
visual transduction in
Drosophila spp. and, 250
XFD receptor
neural induction and, 426
Xngr1 factor
neural induction and, 417
Xnr3 factor
neural induction and, 415,
417
Xolloid metalloprotease
neural induction and, 424
X-ray crystallography
ADF/cofilin family
proteins and, 192
- Y**
yAP1 transcription factor
regulation of nuclear
localization and, 321–22
yCdc34
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 448
- Yeast**
actin-microtubule
cooperation and, 63, 65,
72–74
actin-related proteins and,
342–45, 347, 349–51,
355–57
ADF/cofilin family
proteins and, 192–94,
201, 210, 218–19
blue-light photoreceptors
in higher plants and, 51
cell polarity and, 365–85
kinesin motor utilization
and, 154, 161–64, 166
[PSI⁺] factor
epigenetic modulation of
translation termination
efficiency and, 661–96
regulation of nuclear
localization and, 305,
309, 320–21, 327
SCF and
Ring-H2/Cullin-based
ubiquitin ligases, 436,
440–42, 448–49, 451–53,
457
vacuolar import of proteins
and organelles from
cytoplasm, 4–5, 24–25
- Yppø motif**
adaptors for
clathrin-mediated traffic
and, 712–16
- ypt genes**
vacuolar import of proteins
and organelles from
cytoplasm, 10
- Z**
Zea mays
ADF/cofilin family
proteins and, 188, 198
blue-light photoreceptors
in higher plants and, 45
Zebrafish
neural crest formation and,
82, 91, 94, 103
neural induction and,
423–24, 427
ZEN-4 protein
kinesin motor utilization
and, 159
Zic genes
neural crest formation and,
91, 96–97
Zinc blot analysis
blue-light photoreceptors
in higher plants and, 49
Zinc finger motifs
neural crest formation and,
96
neural induction and,
416
Zippering
microtubule
kinesin motor utilization
and, 147, 150, 160–62

